

**Dr. R.ANNAMALAI,I.F.S.,**  
DIRECTOR OF ENVIRONMENT AND  
MEMBER SECRETARY



**STATE LEVEL ENVIRONMENT  
IMPACT ASSESSMENT AUTHORITY,  
TAMILNADU,**

Tamilnadu Pollution Control Board Premises,  
76, Mount Salai, Guindy,  
Chennai- 600 032.

---

Lr.No.SEIAA/TN/EC/3(a)/ 007/F-176/2009 / Date: 6.05.2009

To

The President,  
M/s.Sakthi Auto Components Limited,  
Mukasi Pallagoundampalayam,  
Perundurai Taluk,  
Erode District – 638 056.

Sub: SEIAA - M/s.Sakthi Auto Components Limited, S.F.No.-  
7,8,9/2,10,11,23,70,86/1,2 &212/1A, Mukasi Pallagoundampalayam  
Village,Perundurai taluk,Erode District – Gray & SG iron castings  
manufacturing unit - Environmental Clearance for expansion -  
Regarding.

Sir,

This has reference to your application No. SEAC/TNPCB/755/08/09/dated 20<sup>th</sup> October 2008, submitted to the State Level Environment Impact Assessment Authority, (SEIAA), Tamil Nadu, for Environmental Clearance. The proposal has been appraised by the State Level Expert Appraisal Committee (SEAC) in its meetings held on 19<sup>th</sup> & 20<sup>th</sup> December 2008, 19<sup>th</sup> & 20<sup>th</sup> March 2009 as per the prescribed procedure in the light of provisions under the EIA Notification, 2006 on the basis of the mandatory documents enclosed with the application Viz., the Application Form-I, REIA-EMP report.

It is noted, interalia that the project proposal involves expansion of Gray & SG Iron castings from 39600 TPA to 96000 TPA by installing Hot Blast cupola furnace (12 tons), DISA vertical flaskless moulding machine (200 moulds per Hr), Hansberg horizontal moulding machine (200 moulds per Hr), Two DISA PLC based sand plant and three shot blasting machines. No ecologically sensitive area exists within 10 km periphery of the project site. The project does not involve any Rehabilitation & Resettlement. The cost of the project is Rs.65 Crores.

It is proposed to utilize Pig Iron - 1010 TPM, Steel scraps – 6820 TPM, Sorrel metal – 590 TPM, Magnesium-28 TPM, Ferro alloys – 270 TPM, Graphite – 290-TPM, , Silica Sand – 750 TPM, Bentonite – 472 TPM & Coal dust – 189 TPM as raw materials. Power requirement will be met from TNEB grid and with backup existing D.G.Sets of 1250 KVA x 1, 350 KVA x 1, 20 KVA x 1 capacity & proposed 1 no.1250 KVA & 500 KVA capacity. The water requirement will be 516 KLD (108 existing) which will be met through New Tirupur Area Development Corporation Limited and from existing bore wells. 7.0 KLD trade effluent will be generated from the backwash and regeneration of softening & demineralization plant, phosphating water and from cutting section and 22 KLD of sewage will be generated.

Sewage will be treated in the existing Sewage Treatment Plant of capacity 25 KLD and trade effluent will be treated in the existing effluent treatment Plant of capacity 10 KLD and the treated sewage and trade effluent will be used for green belt development. Cassette filters, wet scrubbers and bag filters will be provided to control particulate matter emission. Solid waste from the process & from the Air Pollution Control Measures will be sold to brick manufacturers and for filling low lying areas.

The project activity is listed at 3 (a) and is of B1 Category project in the Schedule of EIA Notification, 2006. No Public Hearing/Consultation is required for the project as the existing unit is going for expansion.

Based on the information submitted by you, the SEAC after due consideration of the relevant documents and additional particulars submitted by the Project Proponent has recommended to the SEIAA, Tamil Nadu to grant Environmental Clearance to this project subject to certain conditions. The proposal was considered by SEIAA, Tamil Nadu in its meeting held on 28.04.2009 and as the public consultation is not required for the project, the SEIAA hereby accords Environmental Clearance to the above project under the provisions of EIA Notification dated 14<sup>th</sup> September, 2006 based on the recommendations of the SEAC subject to the strict compliance of the terms and conditions stipulated below:

## **A. SPECIFIC CONDITIONS - Environment Management Measures**

- i. "Consent for Establishment" shall be obtained from the Tamil Nadu Pollution Control Board and a copy shall be furnished to the SEIAA, Tamil Nadu before taking up of any construction activity at the site.
- ii. The sewage generated shall be treated in the existing STP and shall be utilized for green belt development after satisfying the standards prescribed by the TNPCB.
- iii. The proponent is directed that for treatment of sewage additional STP components like Pressure sand filter, Activated carbon filter and UV disinfection system are provided before commissioning of the project.
- iv. Scrubber water shall be solar evaporated in adequate impervious Solar evaporation pans.
- v. The water requirement shall not exceed 516 KLD which shall be met from New Tirupur Area Development Corporation Limited.
- vi. Water supply connection should be obtained before commissioning of the project.
- vii. Wet scrubber to converter vessel, bag filter to cupola furnace & shot blasting machine, cassette filter to sand liners shall be provided to control the air emissions. Data on ambient air quality and stack emission shall be regularly submitted to Regional Office, MoEF, GOI at Bangalore/TNPCB once in six months.
- viii. In-plant control measures like tarring of roads, green belt and good house keeping shall be installed within the plant premises to control fugitive emissions from all the vulnerable sources like raw material handling and storage areas.
- ix. The fugitive emissions from the furnace during loading and unloading shall be suitably controlled and shall conform to the limits prescribed by the TNPCB. Monitoring of fugitive emissions in the work zone environment shall be carried out regularly as per the CPCB guidelines and reports submitted to TNPCB/MoEF, GOI, Regional Office at Bangalore.
- x. Solid waste viz. slag shall be properly disposed for land filling, burnt sand & dust for brick making and for land filling as committed. No solid waste shall be disposed off outside the factory premises.

- xi. The Project proponent shall provide adequate safety and ventilation arrangements in the furnace area.
- xii. A separate Cell with adequate technically competent staff should be appointed to operate the Environmental Control measures who should report directly to the top Executive of the plant premises.
- xiii. The Project proponent shall carryout periodical health check-up for the employees so as to comply with the occupational safety and health requirements.
- xiv. The stack emissions from all the sources shall not exceed 50 mg/Nm<sup>3</sup>. At no time, the emissions shall exceed the prescribed limits. In the event of failure of any pollution control system adopted by the unit, the unit shall be immediately put out of operation and shall not be restarted until the desired efficiency has been achieved.
- xv. Ambient air quality monitoring (AAQM) stations shall be set up as per statutory requirement. The locations of ambient air quality monitoring stations shall be decided in consultation with the Tamil Nadu Pollution Control Board and it shall be ensured that at least one station is installed in the up wind and another in the downwind direction as well as where maximum ground level concentrations are anticipated.
- xvi. A stack of adequate height based on the capacity of the DG set shall be provided for control and dispersion of pollutants from the DG set.
- xvii. The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under Environment (Protection) Rules, 1989.
- xviii. The Proponent shall provide adequate width of Green belt to control fugitive emission & noise and shall be developed in 33 % area as per the CPCB guidelines in a time bound manner.
- xix. The Proponent shall furnish an undertaking that they will abide by the conditions / recommendations mentioned in the REIA report furnished by them.
- xx. It is mandatory for the project proponent to furnish to the SEIAA, Half yearly compliance report in hard and soft copies on 1<sup>st</sup> June and 1<sup>st</sup> December of each calendar year in respect of the conditions stipulated in the prior Environmental clearance.

## **B. GENERAL CONDITIONS:**

- i) The Environmental Clearance does not absolve the applicant/proponent of his obligation/requirement to obtain other statutory and administrative clearance from the concerned statutory and administrative authorities.
- ii) No further expansion or modifications in the plant shall be carried out without prior approval of the SEIAA. In case of deviations or alterations in the project proposal from those submitted for clearance, a fresh reference shall be made to the SEIAA to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.
- iii) Occupational health surveillance of the workers shall be carried out on a regular basis and records shall be maintained as per the Factories Act, 1948.
- iv) Proper House keeping programmes shall be implemented.
- v) Usage of Personal Protective Equipments (PPEs) by all employees/workers shall be ensured.
- vi) The project proponent shall harvest surface as well as rainwater from the roof tops of the buildings proposed and storm water drains to recharge the ground water.
- vii) The project proponent shall advertise in at least two local newspapers widely circulated in the region, one of which shall be in the vernacular language informing the public that
  - i) The project has been accorded Environmental Clearance.
  - ii) Copies of Clearance letters are available with the Tamil Nadu Pollution Control Board.
  - iii) Environmental Clearance may also be seen on the website of the SEIAA.The advertisement should be issued within 7 days from the date of issue of the clearance letter and a copy of the same shall be forwarded to the SEIAA.
- viii) The SEIAA may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.

- ix) The SEIAA reserves the right to stipulate additional conditions, if found necessary. The company in a time bound manner will implement these conditions.
  
- x) The above conditions will be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous Wastes (Management, Handling and Transboundary Movement) Rules, 2008 and the Public Liability Insurance Act, 1991 along with their amendments and rules.

Member Secretary,  
State Environmental Impact  
Assessment Authority,  
Tamil Nadu.

Copy to:-

1. The Secretary to Government, Environment & Forests Dept, Govt.of Tamil Nadu, Fort St. George, Chennai-9.
2. The Chairman, Central Pollution Control Board, Parivesh Bhavan, CBD Cum-Office Complex, East Arjun Nagar, New Delhi 110032.
3. The Member Secretary, Tamil Nadu Pollution Control Board, 76, Mount Salai, Guindy, Chennai-600 032.
4. The CCF, Regional Office, Ministry of Environment & Forest (SZ), Kendriya Sadan, IV floor, E&F wings, 17th Main Road, Koramangala II Block, Bangalore - 560034.
5. Monitoring Cell, I A Division, Ministry of Environment & Forests, Paryavaran Bhavan, CGO Complex, New Delhi 110003.
6. Stock File.