BEFORE THE HON'BLE NATIONAL GREEN TRIBUNAL SOUTHERN ZONE, CHENNAI.

Original Application No.190 of 2020 (SZ)

C. Palanisamy, Coimbatore

...Applicant(s)

Vs

Tamil Nadu Pollution Control Board, Chennai & Others.

....Respondent(s)

S. No	Description	Page No.
1.	Joint Committee Report on M/s. Naveen Tex,	1 – 12
	Thottathu Salai 6th Street, Vagarayampalayam	
	Village, Sulur Taluk, Coimbatore District as per	
	the orders of the Hon'ble National Green	
	Tribunal (SZ), Chennai in Original Application	
-	No. 190 of 2020 Dated: 05.10.2020	
2.	Enclosures	13 – 88

Filed by Thiru. C. Kasirajan, Advocate, Chennai.



Joint Committee Report on M/s. Naveen Tex, Thottathu Salai 6th Street,

Vagarayampalayam Village, Sulur Taluk, Coimbatore District as per the

orders of the Hon'ble National Green Tribunal (SZ), Chennai in Original

Application No. 190 of 2020 Dated: 05.10.2020

1.0 Preamble:

The unit of M/s. Naveen Tex is an power loom weaving unit located at Thottathu Salai 6th Street, Vagarayampalayam Village, Sulur Taluk, Coimbatore District which is located adjacent to the petitioner's house namely Thiru.C.Palanichamy S/o.Chinniya Gounder, Door No.104/173, Thottathu Salai 6th Street, Vagarayampalayam Village, Sulur Taluk, Coimbatore District.

Thiru. C.Palanisamy has filed petition dt. Nil received by this office on 08.06.2020 against the Power loom unit of M/s. Naveen Tex owned by Thiru. Murugesan and is reported that, the unit is located in the residential area and initially they have started with 08 Nos. of Power looms. Now, they have installed 16 Nos of power looms and operation for 24 hours. Because of the 24 hours operation of the power loom which creates noise pollution, micro dust from the power loom threads and cotton which causes health hazard to his family. (Copy of the complaint is attached for kind reference please).

Since, the power loom weaving unit is located in the residential area, the petition was forwarded to the concern local body vide this office letter dt. 06.07.2020 to The Executive Officer, Mopperipalayam Village Panchayat, Vagarayampalayam, Sulur Taluk, Coimbatore District to take further necessary action action against the said power loom unit under the The Tamil Nadu District Municipalities Act, 1920 (Tamil Nadu Act V of 1920) & The Tamil Nadu Public Health Act, 1939. (Copy of the letter is attached for kind reference please). The same petition forwarded from The Tahsildar, Sulur Taluk, Coimbatore District

which was received by this office on 31.07.2020. In this regard, a reminder letter dt. 19.08.20 was addressed to The Executive Officer, Mopperipalayam Village Panchayat, Vagarayampalayam, Sulur Taluk, Coimbatore District to take further necessary action action against the said power loom unit under the The Tamil Nadu District Municipalities Act, 1920 (Tamil Nadu Act V of 1920) & The Tamil Nadu Public Health Act, 1939. (Copy of the letter is attached for kind reference please).

In the meantime, the complainant Thiru.C.Palanichamy S/o.Chinniya Gounder, Vagarayam Palayam, Sulur Taluk, Coimbatore against M/s. Naveen Tex has filed a Writ petition before the Hon'ble High Court of Judicature at Madras and the Hon'ble High Court of Madras has directed the petitioner to file before the Hon'ble NGT (SZ).

Subsequently, the complainant Thiru.C.Palanichamy S/o.Chinniya Gounder, Vagarayam Palayam, Sulur Taluk, Coimbatore filed a case against M/s. Naveen Tex before the Hon'ble National Green Tribunal (SZ), Chennai vide Original Application No.190 of 2020 which is pending before the Hon'ble Tribunal.

The unit of M/s. Naveen Tex located at Thottathu Salai 6th Street, Vagarayampalayam Village, Sulur Taluk, Coimbatore District was inspected by the TNPCB officials on 04.09.2020 and the following were observed:

- 1. It is an existing power loom weaving unit which was found in operation.
- It was reported that, the power loom unit is in existence more than 20 years in the said location since 1993.

- The unit is presently running with 16 Nos of Power looms with the production of Grey fabric.
- 4. The 6th respondent Mr.Murugesan the occupier of the M/s. Naveen Tex also residing near to the unit.
- 5. The unit is located adjacent to the petitioner's house.
- 6. The unit is surrounded by vacant land on the Northern side, Residence on the Eastern side, M/s. Naveen Tex Occupier Residence on the Western side and the petitioner's house on the Southern side.

In view of the above, The Assistant Director, Advanced Environmental Laboratory, Tamilnadu Pollution Control Board, Coimbatore was addressed vide this office Letter dated 07.09.2020 to conduct Ambient Air Quality (AAQ) and Ambient Noise Level (ANL) survey of the unit and at the petitioner's residence.

The unit of M/s. Naveen Tex has remitted necessary fees of Rs.20,700/-vide CR No.104495 dt.01.10.2020 for conducting Ambient Air Quality (AAQ) and Ambient Noise Level (ANL) survey of the unit and at the petitioner's residence.

The said NGT O.A No. 190 of 2020 filed by Thiru.C.Palanichamy S/o.Chinniya Gounder against M/s.Naveen Tex and others was listed for admission on 05.10.2020 before the Hon'ble NGT through Video Conference and the Hon'ble Tribunal has passed order dt.05.10.2020 inter alia that,

"....11. In order to ascertain the genuineness of the allegations made in this application, we feel it appropriate to appoint a Joint Committee comprising of 1) The District Collector, Coimbatore District, or a Senior Officer not below the rank of Assistant Collector or Sub Divisional Magistrate deputed by the District Collector, 2) a Senior Scientist from the Tamil Nadu State Pollution Control Board as designated by its

Chairman, to inspect the area in question and submit a factual as well as action taken report, if there is any violation found.

- 12. The committee is directed to ascertain as to whether the 6th respondent unit is having all necessary clearances and permissions for the purpose of conducting the power loom, whether the place where it is now functioning is a permissible activity as per the Town and Country Planning Act, and the zone that has been provided under the act for development activities, whether the 6th respondent unit has provided all necessary Pollution Control Measures to arrest the sound as well as dust pollution emanating from the unit.
- 13. The committee is also directed to conduct Ambient Air Quality as well as sound level test (both during day and night) that is being experienced in that area during the functioning of the 6th respondent unit and if it is more than the permissible limit, suggest as to what are the remedial measures to be taken for the purpose of mitigating the same and if there is any violation found, the committee is also directed to assess the environmental compensation for the damage caused to the environment including the disturbance or other allegations affecting the peaceful life of the people and health as alleged by the applicant.
- 14. The Tamil Nadu State Pollution Control Board will be the nodal agency for co-ordination and for providing necessary logistics for this purpose.

15. The applicant is also directed to submit a set of papers to the members of the committee within a week, so as to avoid delay in submitting the report.

16. The committee is also directed to submit the report to this Tribunal on or before 10.11.2020 by e-filing along with required hard copies to be produced as per rules..." and the case is reposted on 10.11.2020. As per cause list dt.10.11.2020 the case was reposted on 07.12.2020, and further reposted on 25.01.2021.

In view of the above, the Board has nominated the Assistant Director, Advanced Environmental Laboratory (AEL), Tamil Nadu Pollution Control Board, Coimbatore and the District Environmental Engineer, Tamil Nadu Pollution Control Board, Coimbatore South have been nominated as Nodal Officer and Member of the Joint Committee vide TNPC Board Proc dated 06.11.2020. (Copy attached).

The District Collector has nominated RDO South as the joint committee member to assess and to submit the factual report to Hon'ble NGT (SZ) vide Office Note dated 13.10.2020. (Copy attached).

The Assistant Director (Lab), AEL, TNPCB, Coimbatore along with the District Environmental Engineer, TNPCB, Coimbatore South conducted a preliminary Air/Noise survey on 06.11.2020 in presence of complainant Thiru.C.Palanichamy and the Proprietor Thiru. Murugesan, M/s.Naveen Tex and the survey schedule were fixed on 11.11.2020 to conduct Ambient Air Quality/Noise level survey at M/s. Naveen Tex and the residence of complainant and the same was communicated by the Assistant Director, Advanced Environmental Laboratory, Tamil Nadu Pollution Control Board, Coimbatore vide

Lr. Dt. 07.11.2020 to the petitioner and the proprietor of M/s.Naveen Tex. (Copy attached).

Subsequently, a letter dt. 09.11.2020 was received from Thiru.Murugesan informed that, due to Diwali festival, labours are going to the native place, non-availability of raw material and annual maintenance work from 08.11.2020 to 13.12.2020. Hence, the survey was postponed and the same was communicated by the Assistant Director (Lab), AEL, TNPCB, Coimbatore to the complainant Thiru.C.Palanichamy and the M/s.Naveen Tex unit owner Thiru. Murugesan vide letter dt.09.11.2020. (Copy attached).

In the meantime, the complainant Thiru.C.Palanichamy has sent a letter dt. 18.11.2020 and informed that, the power loom unit was in operation and creating pollution. In this regard, the unit was inspected on 20.11.2020 and found that, the unit was in operation. Hence, a show cause notice was issued to the unit vide this office Proc. Dated 26.11.2020 under the Section 21 of Air (Prevention and Control of Pollution) Act, 1981 as amended and Section 25 of Water (Prevention & Control of Pollution) Act, 1974 as amended in 1988 by the TNPC Board.

Thiru.Murugesan, M/s. Naveen Tex informed vide letter dt. 21.11.2020, they proposed to provide acoustic and noise pollution control measures and requested time till 23.12.2020 for further inspection.

Again the petitioner made written complaint vide letter dt. 01.12.2020 to The Chairman, TNPCB, Chennai; Assistant Director (Lab), AEL, TNPCB, Coimbatore and the District Environmental Engineer, Tamil Nadu Pollution Control Board, Coimbatore South and informed that, the unit has not stopped the production activity and in operation for 24 hours a day and attached a Letter

dt. 03.07.2020 by the Executive officer, Mopperipalayam Town Panchayat to Thiru Murugesan, M/s. Naveen Tex informed that, not to operate the power loom during night hours otherwise necessary action will be initiated against the unit.

Further, the unit has replied vide letter dt. 11.01.2021 and informed that, since 1993, the power loom unit was in operation. In Mopperipalayam and Vagarayampalayam village there are more than 200 power loom units were in operation. Further, it is informed that, the location of the unit is comes under the "Non-planned area" as per the land use classification of Local Planning Authority (LPA). The unit has obtained provisional registration certificate from the District Industries Centre dt.02.09.93 at the SF No.208,208/5, Thennampalayam Road, Vagarayampalayam, Moppiripalayam, Karumathampatti for the production of Powerloom Gada Cloth on job work basis. (Copy attached).

2.0 Legal Frame Work with respect to Noise Pollution (Regulation and Control) Rules, 2000.

As per the Noise Pollution (Regulation and Control) Rules, 2000:

Rule 2:

"(c)"authority" means any authority or officer authorized by the Central Government, or as the case may be, the State Government in accordance with the laws in force and includes a District Magistrate, Police Commissioner, or any other officer designated for the maintenance of the ambient air quality standards in respect of noise under any law for the time being in force;"

Rule 3:

(1) The ambient air quality standards in respect of noise for different areas/zones shall be such as specified in the Schedule.

SCHEDULE (see rule 3(1) and 4(1) Ambient Air Quality Standards in respect of Noise

Area code	Category of	Limits in dB(A) Leq *	
	Area/Zone	Day Time	Night Time
A	Industrial area	75	70
В	Commercial area	65	55
C	Residential area	55	45
D	Silence Zone	50	40

Note:-

- (i) Day time shall mean from 6.00 a.m. to 10.00 p.m
- (ii) Night time shall mean from 10.00 p.m. to 6.00 a.m
- (iii) Mixed categories of areas may be declared as one of the four above mentioned categories by the competent authority.
- * dB(A) Leq denotes the time weighted average of the level of sound in decibels on scale A which is relatable to human hearing.
- dB "decibel" is a unit in which noise is measured.
- "A", in dB(A) Leq, denotes the frequency weighting in the measurement of noise and corresponds to frequency response characteristics of the human ear.

Leq: It is an energy mean of the noise level, over a specified period.

Rule 4:

"(2) The authority shall be responsible for the enforcement of noise pollution control measures and the due compliance of the ambient air quality standards in respect of noise."

Rule 5:

"Restrictions on the use of loud speakers/public address system.

Rule 6:

<u>Consequences of any violation in silence zone/area includes clause</u> (i,ii,iii).

Rule 7:

"Complaints to be made to the authority.

(1) A person may, if the noise level exceeds the ambient noise standards by 10 dB(A) or more given in the corresponding columns against any area/zone, make a Complaint to the authority.

(2) The authority shall act on the complaint and take action against the violator in accordance with the provisions of these rules and any other law in force."

Under Noise pollution Rules, 2000 responsibilities are vested with State Governments, District Magistrate, Police commissioner, or any other officer not below the rank of Deputy Superintendent of Police, as per details given below:

- (i) Restriction on the use of Loud Speakers/Public Address system.
- (ii) Restriction on the use of Horns, Sound emitting construction equipment and bursting of Fire crackers.
- (iii) Prohibition of continuance Music Sound or Noise.

3.0 Joint Committee Inspection Report on M/s. Naveen Tex:

In view of the above, the unit of M/s. Naveen Tex, Thottathu Salai 6th Street, Vagarayampalayam Village, Sulur Taluk, Coimbatore District was inspected by the Joint Committee along with other revenue officials on 03.12.2020 and the following were observed:

- The unit was in operation since 1993 and for about more than twenty years with a production capacity of Grey fabric of about 25,000 Meters/Month as reported by the unit.
- 2. The unit is located adjacent to the petitioner's house.
- 3. The unit is surrounded by vacant land on the Northern side, Residence on the Eastern side, M/s. Naveen Tex Occupier Residence on the Western side and the petitioner's house on the Southern side.

- The petitioner Thiru.C.Palanichamy and Thiru. Murugesan, Proprietor, M/s.Naveen Tex unit was also present during inspection.
- 5. The unit has provided power looms (16 Nos.), Tar winding machine 2 Nos. and Genset 5 HP (1 No.)
- 6. All the windows have been sealed with cement pasted masonry which faces the petitioner house.
- 7. The sound level test (both during day and night) that is being experienced at the source (M/s.Naveen Tex) and at the Portico of the Petitioner's residence adjacent to the compound wall during the functioning of the 6th respondent unit was measured in presence of the Thiru. Murugesan, Proprietor, M/s.Naveen Tex and petitioner Thiru.C.Palanichamy by the officials of Advanced Environmental Laboratory (AEL), TNPCB, Coimbatore. The report reveals that the parameters are exceeding the standards prescribed by the Board with respect to Residential Area. (Copy of Report attached).
- 8. Noise level measurements during day time:

SI. No	Location of Noise Level measurements made (At complainant's House)	Direction from source	Noise Level in Leq dB (A) [Day time]	
			During Operation of Iooms	During Not Operation of looms
1	At Portico (adjacent to the compound wall)	South	64.2	50.5
2	In front of the 1 st house (adjacent to the compound wall)	South	64.7	51.7
3	In front of the 2 nd house (adjacent to the compound wall)	South	66.8	47.4

9. Noise level measurements during Night time:

SI. No	Location of Noise Level measurements made	5	Noise Level in Leq dB (A) [Night time]	
	(At complainant's House)	Direction from source	During During Not Operation of Operation of Iooms	
1	At Portico (adjacent to the compound wall)	South	61.5	47.5
2	In front of the 1 st house (adjacent to the compound wall)	South	64.0	48.6
3	In front of the 2 nd house (adjacent to the compound wall)	South	64.4	50.4

- 10.The Ambient Air Quality (AAQ) survey was not conducted on 03.12.2020 due to bad weather condition (drizzling and cloudy) and the survey will be conducted during clear / sunny weather condition probably next week as reported by the Assistant Director, AEL, TNPCB, Coimbatore vide Lr. Dt. 04.12.2020. (Copy attached).
- 11.The Ambient Air Quality Survey (AAQ) was proposed to be conducted on 08.01.2021 and the same was communicated to the petitioner and M/s. Naveen Tex by the Assistant Director, AEL, TNPCB, Coimbatore vide Lr. Dt. 05.01.2021. (Copy attached).
- 12. The Ambient Air Quality Survey (AAQ) was conducted on 08.01.2021 (both during day and night) in presence of the petitioner on top of the scaffolding in the Portico and on top of open terrace of Thiru.C.Palanisamy house by the Advanced Environmental Laboratory (AEL), TNPCB, Coimbatore.
- 13. The Ambient Air Quality (AAQ) survey report reveals that the parameters are within the standards prescribed by the Board. (Copy of AAQ report attached).

4.0 Findings and recommendations:

 The unit of M/s. Naveen Tex may be directed to permanently close all the windows with proper cement masonry work facing the petitioner house and to provide appropriate acoustic measures to control the noise as well as Air pollution.

20

2. The unit may be directed to follow the Hon'ble High Court of Judicature at Madras in the W.P.No.10356 of 2018 in its order dated 04.06.2018 inter alia that, "...the Power Looms are not operated beyond the permitted working hours, which are from 10 A.M. in the morning to 6 P.M. in the evening, and to ensure that the noise level does not exceed the permissible decibel level".

Report dated January 18, 2021.

Er. P.Manimaran
District Environmental Engineer
Tamil Nadu Pollution Control
Board
Coimbatore South

Thiru. K.Selvaraj
Assistant Director, Advanced
Environmental Laboratory (AEL),
Tamil Nadu Pollution Control
Board, Coimbatore

Thiru. R. Kumaresan
Revenue Divisional Officer
Coimbatore (South) Revenue
Division

Enclosures:

- a) Copy of complaint received from Thiru. C.Palanisamy dt. Nil received by this office on 08.06.2020 against the Power loom unit of M/s. Naveen Tex owned by Thiru. Murugesan
- b) Copy of this office letter dt. 06.07.2020 addressed to the Executive Officer, Mopperipalayam Village Panchayat, Vagarayampalayam, Sulur Taluk, Coimbatore District.
- c) Copy of reminder letter dt. 19.08.2020 addressed to the Executive Officer, Mopperipalayam Village Panchayat, Vagarayampalayam, Sulur Taluk, Coimbatore District.
- d) Copy of letter dated 07.09.2020 addressed to the Assistant Director, Advanced Environmental Laboratory, Tamilnadu Pollution Control Board, Coimbatore to conduct Ambient Air Quality (AAQ) and Ambient Noise Level (ANL) survey
- e) Nomination of Nodal Officer and Member of the Joint Committee vide TNPC Board Proc dated 06.11.2020.
- f) Nomination of Nodal Officer by the District Collector vide Office Note dated 13.10.2020
- g) Ambient Air Quality/Noise level survey schedule by the AD/AEL/ TNPCB/Coimbatore dated 07.11.20
- h) The intimation regarding the postponed Ambient Air Quality/Noise level survey communicated by the AD/AEL/TNPCB/Coimbatore dated 09.11.20
- i) Noise level survey report (both during day and night) by the AD/AEL/TNPCB/Coimbatore dated 04.12.20
- j) The intimation regarding the postponed Ambient Air Quality communicated by the AD/AEL/TNPCB/Coimbatore dated 04.12.20
- k) Photographs taken during inspection of the Joint Committee and during Noise level survey
- Hon'ble High Court of Judicature at Madras in the W.P.No.10356 of 2018 in its order dated 04.06.2018
- m) The intimation regarding the Ambient Air Quality survey communicated by the AD/AEL/TNPCB/Coimbatore dated 05.01.2021.
- n) Ambient Air Quality survey report (both during day and night) by the AD/AEL/TNPCB/Coimbatore dated 18.01.2021
- o) Reply furnished by M/s. Naveen Tex dt.07.01.2021 received by this office on 11.01.2021.

END JOHN

சி.பழனிசாமி 173/104. தோட்ட சாலை,6,வது வீதி வாகராயம்பாளையம், சூலூர் வட்டம் கோயமுத்தூர்-641659

பெறுநர்



- 1. உயர்திரு.மாவட்ட சுற்றுச்சூழல் பொறியாளர் அவர்கள் கோவை தெற்கு, தமிழ்நாடு மாசுகட்டுப்பாட்டு வாரியம் பிளாட் எண்-E-55A, சிட்கோ தொழிற்பேட்டை குறிச்சி, பெள்ளாச்சி பிரதான சாலை, கோயமுத்தூர்-21
- 2. உயர்திரு மாவட்ட ஆட்சியர் அவர்கள் கோவை மாவட்டம், கோயமுத்தூர்.
- 3. உயர்திரு. வட்டாச்சியர் அவர்கள் சூலூர் வட்டம், சூலூர்.
- 4. உயர்திரு துனை இயக்குநர் அவர்கள் சுகாதாரத்துறை, கோவை மாவட்டம் சாரதாம்பாள் கோவில் அருகில், ரேஸ்கோர்ஸ் கோயமுத்தூர்
- 5. உயர்திரு காவல் ஆய்வாளர் அவர்கள் கருமத்தம்பட்டி காவல்நிலையம் சூலூர் வட்டம், கோயமுத்தூர்-59
- 6. உயர்திரு காவுல் கண்காணிப்பாளர் அவர்கள் கோவை மாவட்டம்
- 7. உயர்திரு சேர்மென் அவர்கள் தமிழ்நாடு மாசுக்கட்டுப்பாட்டு வாரியம் 76, மவுண் ரோடு, கிண்டி சென்னை-32
- 8. உயர்திரு செயல் அலுவலர் அவர்கள் போப்பிரிபாளையம் பேரூராட்சி அலுவலகம் வாகராயம்பாளையம், கோவை -59

அப்பா

பொருள்: குடியிருப்பு பகுதியில் இயல்பு வாழ்க்கைக்கும், உடல் நலத்திறக்கும் பாதிப்பு ஏற்படுத்தும் விசைத்தறி ஆலையினை நிரந்தரமாக தடை செய்ய கோருவது தொடர்பாக,

மேற்கண்ட முகவரியில் கடந்த 25 ஆண்டுகளுக்கு மேலாக

வசித்துவருகிறேன். என் வீட்டிற்கு ஓட்டியபடியே முருகேசன் என்பவர் Naveen Tex எனும் பெபரில் விசைத்தறி கூடம் அமைத்து நடத்தி வருகிறார். ஆரம்பத்தில் 8 வி சைத்தறியுடன் செயல்பட்டு கொண்டிருந்த ஆலை தற்போது 16 விசைத்தறிகளுடன் 24 மணிநேரமும் செயல்பட்டு வருகிறது. முறையாக எந்த அடிப்படை வசதியும் பாதுகாப்பு ஏற்பாடுகளும் இல்லாமல் இந்த ஆலை செயல்பட்டு வருகிறது. எங்கள் பகுதி முழுவதுமே குடியிருப்புகள் நிறைந்த பகுதியாகும். தொடர்ந்து பல ஆண்டுகளாக இந்த விசைத்தறி கூடம் செயல்பட்டு வருவதால் மிக அதிகமான சத்தம் வருவதால் எங்கள் வீட்டில் யாரும் நிம்மதியாக தூங்கக் கூட முடிவதில்லை. தொடர்ந்து இந்த ஆலைகள் 24 மணிநேரமும் நெயல்படுவதால் மிக அதிகமாக உண்டாகும் நூலில் இருந்து ... வரும் நுன்கழிவுகள்(Micro dust) வீடு முழுவதும் பரவி அடிக்கடி உடல் நல கோளாரு ஏற்பட்டு வருகிறது. எனக்கு வயது 68 ஆகிறது இதயபாதிப்பிற்கு மருத்துவ சிகிச்சை எடுத்துவருகிறேன். எனது பேருக்குழந்தைக்க 5 வயது ஆகிறது அவனுக்கும் இந்த மாசுவினால் அடிக்கடி உடல்நிலை சரியில்லாமல் பாதிப்புக்குள்ளாகின்றான். மேற்கண்ட ஆலை உரிமையாளரிடம் தொடர்ந்து பல ஆண்டுகளாக மாற்று ஏற்பாடுகளை செய்யு வேண்டுமன வலியுறித்தியும் குறைந்த பட்சம் பாதுகாப்பு ஏற்படுகளை செய்து இரவு நேரம் மட்டுமாவது இயக்க வேண்டாம் என்று கோரிக்கை வைத்தும் உண்டு கொள்ளவில்லை மேலும் என்னை என்வீட்டில் தனியாக இருக்கும் போது உற்வனர்களோடு வந்து சட்டையை பிடித்து தகாத வார்த்தைகளை பேசி மிரட்டி ஒரு ரவுடிகளை போல் நடந்து கொன்டை சர் அவருக்கின்றனர். எனது வீட்டின் காம்பவுன்ட சுவரை ஒட்டி இந்த அடாவடியான போக்கினால் அருகிலுள்ள மற்ற குடியிருப்பு வாசிகளும் இவர்கள் மீது அடாவடியான போக்கினால் அருகிலுள்ள மற்ற குடியிருப்பு வாசிகளும் இவர்கள் மீது அடை இயங்கி வருகிறது. இத்தனை ஆண்டுகளாட்டில் தற்கே உடல் நல பாதிப்புகளை இனிமேலும் சந்திக்க விரும்பவில்லை மேலும் இப்பகுதியில் உள்ள பலரது நலனையும் கருத்தில் கொண்டு இந்த விசைத்தரி கூடத்தை நிரந்தரமாக தடை செய்ய வேண்டும் எனவும் கேட்டுக் கொள்கின்றேன்.

நாள்: (். ். இ.ஆ.

هدن: (تعلى عصرية) ·

தங்கள் உண்மையுள்ள டேப் தூதுக்க

23)mmsy = -

OSM GOT Blowing 566, Donanis

B 0/C



தமிழ்நாடு மாசு கட்டுப்பாடு வாரியம்

அனுப்புநர் பெ. மணிமாறன், எம்.இ., எம்.பி.ஏ., மாவட்ட சுற்றுச் சூழல் பொறியாளர் தமிழ்நாடு மாசு கட்டுப்பாடு வாரியம் கோயம்புத்தூர் தெற்கு பிளாட் என்.E55, சிட்கோ தொழிற்பேட்டை, குறிச்சி, பொள்ளாச்சி மெயின் ரோடு, கோயம்புத்தூர் - 641 021.

பெறுநா் செயல் அலுவலா், மோப்பிாிபாளையம் டேரூராட்சி அலுவலகம், வாகராயம்பாளையம், கோயம்புத்தூா் - 641 653.

கடித் எண் OLGPRS/மா.சு.சூ.பொ/கோவை(தெ)/புகார்/2020 நாச்1.06.07.2020.

அய்யா,

பொருள்	:	த.நா.மா.க.வாரியம் — மா.சு.கு.பொ. அலுவலகம், கோவை (தெற்கு) — கோவை மாவட்டம், குடியிருப்பு பகுதியில் செயல்படும் விசைத்தறி ஆலையினை தடை செய்ய கோரி பெறப்பட்ட - புகார் மனு.
பார்வை	:	1. திரு C.பழனிச்சாமி, 173/104, தோட்ட சாலை 6வது வீதி, வாகராயம்பாளையம், சூலூர், கோவை அவர்களின் வாரிய இணையவழி
2		2. தலைவர், தமிழ்நாடு மாக கட்டுப்பாடு வாரியம், சென்னை அவர்களின் சுற்றறிக்கை எண்.TNPCB/P&D/16032/2014 Dated 18.09.2014

கோயமுத்தூர் மாவட்டம், குடியிருப்பு பகுதியில் செயல்படும் விசைத் தறி ஆலையினை தடை செய்ய கோரி புகார் மனு பெறப்பட்டுள்ளது.

பார்வையில் 2-ல் காணும் வாரிய சுற்றறிக்கையில், அரசாணை என்.17 சுற்றுச்சூழல் துறை நாள் 10.04.1984-ன் கீழ் வரையறுத்துள்ள 18 வித தொழிற்சாலைகள் தவிர ஏனைய தொழில்கள் குறித்து, புகார் பெறும்பொழுது, உள்ளாட்சி நிறுவனத்திடமிருந்து அனுமதி பெறப்பட்டும் மற்றும் அத்தொழில்கள், சம்பந்தப்பட்ட நில உபயோக வகை பிரிவில் அனுமதிக்கப்பட்டும் இருக்கும்பட்சத்தில் மட்டும் மாசு கட்டுப்பாடு சட்டங்கள் மூலம் நடவடிக்கை எடுக்கப்பட வேண்டும் எனவும் மேற்கண்ட நிலைமைக்கு மாறான சம பத்தில், மாவட்ட உள்ளாட்சி நிறுவனச்சட்டம் 1920 மற்றும் பொது சுகாதாரச் சட்டம், 1939 —ன் கீழ் நடவடிக்கை எடுக்கும்பொருட்டு உள்ளாட்சி அமைப்புகளுக்கு புகார் மனுக்கள் அனுப்பப்பட வேண்டும் எனவும் ஆணையிடப்பட்டுள்ளது. எனவே, இம்மனுவினை அசலாக இக்கடிதத்துடன் இணைத்தனுப்பப்படுகிறது.

மாவட்ட சுற்றுச் சூழல் பொறியாளர் தமிழ்நாடு மாசு கட்டுப்பாடு வாரியம் கோயம்புத்தூர் தெற்கு

இணைப்பு - பார்வையில் கலர்டுள்ள மனு.

நகல் - திரு C.பழனிச்சாமி. 173/104, தோட்ட சாலை 6வது வீதி, வாகராயம்பாளையம், சூலூர், கோவை 641 659.

£



நினைவுட்டுக்கடிதம் -1

தமிழ்நாடு மாசு கட்டுப்பாடு வாரியம்

அனுப்புநர் பெ. மணிமாறன், எம்.இ., எம்.பி.ஏ., மாவட்ட சுற்றுச் சூழல் பொறியாளர் தமிழ்நாடு மாசு கட்டுப்பாடு வாரியம் கோயம்புத்தூர் தெற்கு பிளாட் எண்.E55, சிட்கோ தொழிற்பேட்டை, குறிச்சி, பொள்ளாச்சி மெயின் ரோடு, கோயம்புத்தூர் - 641 021.

பெறுநா் செயல் அலுவலா், மோப்பிரிபாளையம் பேரூராட்சி அலுவலகம், வாகராயம்பாளையம், கோயம்புத்தூா் - 641 659.

கடித எண்.மா.சு.கு.பொ/கோவை(தெ)/புகார்/2020 நாள்.19.08.2020.

அய்யா,

பொருள்	:	த.நா.மா.க.வாரியம் – மா.சு.சூ.பொ. அலுவலகம், கோவை (தெற்கு) – கோவை மாவட்டம், குடியிருப்பு பகுதியில் செயல்படும் விசைத்தறி ஆலையினை தடை செய்ய கோரி பெறப்பட்ட - புகார் மனு.
பார்வை <i>்</i>	, F	1. திரு C.பழனிச்சாமி, 173/104, தோட்ட சாலை 6வது வீதி, வாகராயம்பாளையம், சூலூர், கோவை அவர்களின் வாரிய இணையவழி புகார் மனு எண்.9974 நாள்.10.06.2020. 2. தலைவர், தமிழ்நாடு மாசு கட்டுப்பாடு வாரியம், சென்னை அவர்களின் சுற்றறிக்கை எண்.TNPCB/P&D/16032/2014 Dated 18.09.2014. 3.இவ்வலுவலக க.எண். OLGPRS/மா.சு.சூ.பொ/கோவை(தெ)/புகார்/2020 நாள்.06.07.2020. 4. வட்டாச்சியர், சூலூர் அவர்களின் ஒ.மு.1624/2020/ஆ3 நாள்.28.07.2020.

பார்வை 1-ல் காணும் விசைத்தறி ஆலையினை தடை செய்ய கோரி பெறப்பட்ட புகார் மனு தொடர்பாக உரிய நடவடிக்கை எடுக்கும்பொருட்டு பார்வை 3-ன் வாயிலாக உரிய நடவடிக்கை எடுக்கும்பொருட்டு பார்வை 3-ன் வாயிலாக உரிய நடவடிக்கை எடுக்கும்பொருட்டு அனுப்பப்பட்டது. புகார் மனு தொடர்பாக எடுக்கப்பட்ட நடவடிக்கை தொடர்பாக பதில் எதுவும்பெறப்படவில்லை. தற்போது வட்டாச்சியர், தூலூர் அவர்களிடமிருந்து உரிய நடவடிக்கை மேற்கொள்ளுமாறு இவ்வலுவலகத்தில் புகார் மனு பெறப்பட்டுள்ளது. எனவே புகார் மனு மீது உரிய நடவடிக்கை எடுக்கும்பொருட்டு பெறப்பட்ட அசல் மனுவினை இக்கடிதத்துடன் இணைத்தனுப்பப்படுகிறது.

மாவட்ட சுற்றுச் சூழல் பொறியாளர் தமிழ்நாடு மாசு கட்டுப்பாடு வாரியம் கால் கோயம்புத்தூர் தெற்கு

இணைப்பு - பார்வையில் கண்டுள்ள மனு.

நகல் - 1. திரு C.பழனிச்சாமி, 173/104, தோட்ட சாலை 6வது வீதி, வாகராயம்பாளையம், சூலூர், கோவை 641 659.

2. வட்டாச்சியர், சூலூர்.

Geg: 10109/D
ces: 10109/D
ces: 10109/D

The state of the

The second se



TAMILNADU POLLUTION CONTROL BOARD

P.Manimaran, M.E., M.B.A., District Environmental Engineer Tamilnadu Pollution Control Board Coimbatore South E-55A, SIDCO Industrial Estate. Pollachi Main Road, Kurichi, Coimbatore - 641030.

The Assistant Director (Lab) Advanced Environmental Laboratory Tamilnadu Pollution Control Board III & IVth Floor, No.5, Ramasamy Nagar, Near Fire Service Station, Kavundampalayam., Coimbatore - 641 030.

Letter.No.DEE/CBE/F.Complaint/AE-III/2020 dt.07.09.2020.

Sir,

TNPC Board - Industries - M/s. Naveen Tex, Thotlathu Salai 6th Street, Vagarayampalayam Village, Sulur Taluk, Coimbatore District - Complaint - Ambient Air Quality/Ambient Noise Leve survey to be conducted- Reg.

Ref

Sub

- Complaint received from Thiru. C.Palanisamy dt. Nil received by this office on 08.06.2020 against the Power loom unit of M/s. Naveen Tex
- 2. W.P No. of 2020 filed before the Hon'ble High Court of Judicature at Madras by Thiru.C.Palanichamy S/o.Chinniya Gounder, Vagarayam palayam, Sulur Taluk, Coimbatore against M/s. Naveen Tex

With reference to the above, it was requested to conduct Ambient Air Quality Survey and Noise Level Survey in and around the unit of M/s. Naveen Tex, Thotlathu Salai 6^{th} Street, Vagarayampalayam Village, Sulur Taluk, Coimbatore District and also in the petitioner's residence during operation of power looms with full capacity.

The above said survey may be conducted at unit's cost immediately.

CAGNILICATION TO THE PROPERTY OF THE PROPERTY

€ෙන්:

District Environmental Engineer

Encl.: Copy of Complaint received from Thiru. C.Palanisamy dt. Nil received by this office on 08.06.2020 against the Power loom unit of M/s. Naveen Tex

Copy to: Mr.Murugesan, M/s. Naveen Tex, Thottathu Salai 6th Street, Vagarayampalayam Village, Sulur Taluk, Coimbatore District - 641 659

Copy submitted to: The Joint Chief Environmental Engineer (M), TNPC Board, Coimbatore.



TAMILNADU POLLUTION CONT

Proc. No: TNPCB/LAW/LAIII/NGT/021988/2020

Sub: TNPC Board – Law - Hon'ble NGT Application No.190 of 2020(SZ) - Filed by C. Palanisamy against the Chairman & others - Hon'ble NGT order dated 05.10.2020– Formation of the Joint Committee – To inspect and furnish report to the Hon'ble NGT - Regarding.

Ref: 1. Notice dated 20.10.2020 received from the Registar, NGT(SZ), Chennai along with relevant documents.

Copy of the Hon'ble NGT dated:05.10.2020 passed in D.A.No.190 of 2020 (SZ).

It is submitted that an Original Application No. 190 of 2020, filed by C. Palanisamy, Coimbatore against the Chairman & others before the NGT(SZ), Chennai,

In this regard, the Hon'ble NGT has passed order dated 05.10.2020 and issued the following directions among other things inter alia as follows:

"we feel it appropriate to appoint a Joint Committee comprising of 1) the District Collector, Coimbatore District, or a Senior Officer not below the rank of Assistant Collector or Sub Divisional Magistrate deputed by the District Collector, 2) a Senior Scientist from the Tamil Nadu State Pollution Control Board as designated by its Chairman, to inspect the area in question and submit a factual as well as action taken report, if there is any violation found.

Tamil Nadu Pollution Control Board will act as the nodal agency for coordination and for providing all necessary logistics for this purpose.

In order to comply the above said NGT order dated 05.10.2020, the Assistant Director, AEL, Coimbatore and the DEE TNPCB Coimbatore (South) are nominated as Nodal Officer and Member of the Joint Committee respectively.

Therefore the Assistant Director, AEL, Coimbatore and the DEE, TNPCB Coimbatore (South) are requested to comply the NGT order and coordinate with the Joint Committee and furnish the Joint Committee Report to this office immediately.

The receipt of this proceeding shall be acknowledged.

Encl: As above.

То

1. The Assistant Director,
Advanced Environmental Laboratory,
Tamilnadu Pollution Control Board,
136-D, Swamy Iyer New Street,
Ganga Garden, Coimbatore - 641 001.
Mail Id: aeltnpcbcbe@gmail.com

2. The District Environmental Engineer, Tamil Nadu Pollution Control Board, Coimbatore (South).

for Member Secretary

No. 76, MOUNT SALAI, GUINDY, CHENNAI - 600 032. Tel : 22353134, 22353135, 22353136, 22353137, 22353138, 22353139, 22343140, 22353141 Fax : 044 - 22353068

Email: tnpcb@md3.vsnl.net.in Web: www.tnpcb.gov.in

-

Office Note Submitted / Sir,

ij.

1

- 1

Sub : TNPC Board - O/o. District Environmental Engineer, Tamilnadu Pollution Control Board, Coimbatore (South) - Constitution of Expert Committee as per the orders of the Hon'ble NGT (Southern Zone), Chennai order in O.A. No. 190 of 2020 filed by Thiru. C.Palanisamy, Coimbatore against M/s. Naveen Tex, Coimbatore dt. 05.10.2020 - Formation of Joint Committee -

Ref : Hon'ble NGT (Southern Zone), Chennai order in O.A. No. 190 of 2020 dt. 05.10.2020.

With reference to the above, I submit to state that, the unit of M/s. Naveen Tex is an power loom weaving unit located at Thottathu Salai 6th Street, Vagarayampalayam Village, Sulur Taluk, Coimbatore District which is located adjacent to the petitioner's house namely Thiru.C.Palanichamy S/o.Chinniya Gounder, Door No.104/173, Thottathu Salai 6th Street, Vagarayampalayam Village, Sulur Taluk, Coimbatore District.

Thiru. C.Palanisarry has filed petition dt. Nil received by this office on 08.06.2020 against the Power loom unit of M/s. Naveen Tex owned by Thiru. Murugesan and is reported that, the unit is located in the residential area and initially they have started with 08 Nos. of Power looms. Now, they have installed 16 Nos of power looms and operation for 24 hours. Because of the 24 hours operation of the power loom which creates noise pollution, micro dust from the power loom threads and cotton which causes health hazard to his family. (Copy of the complaint is attached for kind reference please).

Since, the power loom weaving unit is located in the residential area, the petition was forwarded to the concern local body vide this office letter dt. 06.07.2020 to The Executive Officer, Mopperipalayam Village Panchayat, Vagarayampalayam, Sulur Taluk, Coimbatore District to take further necessary action action against the said power loom unit under the The Tamil Nadu District Municipalities Act, 1920 (Tamil Nadu Act V of 1920) & The Tamil Nadu Public Health Act, 1939. (Copy of the letter is attached for kind reference please). The same petition forwarded from The Tahsildar, Sulur Taluk, Coimbatore District which was received by this office on 31.07.2020. In this regard, a reminder letter dt. 19.08.20 was addressed to The Executive Officer, Mopperipalayam Village Panchayat, Vagarayampalayam, Sulur Taluk, Coimbatore District to take further necessary action action against the said power loom unit

under the The Tamil Nadu District Municipalities Act, 1920 (Tamil Nadu Act V of 1920) & The Tamil Nadu Public Health Act, 1939. (Copy of the letter is attached for kind reference please).

In the meantime, the complainant Thiru.C.Palanichamy S/o.Chinniya Gounder, Vagarayam Palayam, Sulur Taluk, Coimbatore against M/s. Naveen Tex has filed a Writ petition before the Hon'ble High Court of Judicature at Madras. The copy of affidavit received by this office through e-mail on 02.09.2020.

Subsequently, the complainant Thiru.C.Palanichamy S/o.Chinniya Gounder, Vagarayam Palayam, Sulur Taluk, Coimbatore filed a case against M/s. Naveen Tex before the Hon'ble National Green Tribunal (SZ), Chennai vide Original Application No.190 of 2020 Vs 1) The Chairman, Tamil Nadu Pollution Control Board, Chennai 2) The District Collector, Coimbatore District 3) The District Environmental Engineer, Coimbatore South, Tamil Nadu Pollution Control Board, Coimbatore 4) The Tahsildar, Sulur Taluk, Coimbatore District 5) The Executive Officer, Moppiripalayam Town Panchayat Union Office, Vagarayampalayam, Coimbatore District 6) Mr.Murugesan, Naveen Tex, Thottathusalai 6th Street, Vagarayampalayam, Coimbatore District.

The applicant filed this application seeking the following reliefs:

- 1) Direct Respondent Nos. 1 to 5 to take action against the 6th respondent M/s.Naveen Tex, situated in S.F. NO. 208/5, at Thottathusalai 6th Street, Vagarayampalayam, Sulur Talk, Moopperipalayam, Coimbatore District 641 659, for operating power looms in a residential area that too abutting the residential building of the Applicant, without installing any air-cooler, without taking safely measures such as sealing of the windows of the factory, and also operating too many looms in an old building in a congested manner thereby causing nonstop noise pollution as well as causing severe deterioration of air quality by allowing the emission of cotton micro-dust from the power looms being operated 24 hours throughout the year.
- 2) Direct Respondent No.6 to pay compensation of Rs. 3,00,000/- for the untold mental agony and causing health problems to the Applicant and his family for the past five years immediately preceding the filing of this Application under Sec.15(1) of the NGT Act, 2010.
- 3) Direct Respondent No. 6 to pay compensation of R. 5,000/- per day till the disposal of this Application.

Inspection and findings of M/s. Naveen Tex:

The unit of M/s. Naveen Tex located at Thottathu Salai 6th Street, Vagarayampalayam Village, Sulur Taluk, Coimbatore District was inspected by the TNPCB officials on 04.09.2020 and the following were observed:

- It is an existing power loom weaving unit which was found in operation with 16 Nos
 of Power looms.
- 2. The 8th respondent Mr.Murugesan the occupier of the M/s. Naveen Tex also residing near to the unit.
- 3. The unit is located adjacent to the petitioner's house.
- 4. The unit is surrounded by vacant land on the Northern side, Residence on the Eastern side, M/s. Naveen Tex Occupier Residence on the V/estern side and the petitioner's house on the Southern side.

In view of the above, The Assistant Director, Advanced Environmental Laboratory, Tamilnadu Pollution Control Board, Coimbatore was addressed vide this office Letter dated 07.09.2020 to conduct Ambient Air Quality (AAQ) and Ambient Noise Level (ANL) survey of the unit and at the petitioner's residence.

Subsequently, the unit of M/s. Naveen Tex has remitted necessary fees of Rs.20,700/-vide CR No.104495 dt.01.10.2020 for conducting Ambient Air Quality (AAQ) and Ambient Noise Level (ANL) survey of the unit and at the petitioner's residence.

The said NGT O.A No. 190 of 2020 filed by Thiru.C.Palanichamy S'o.Chinniya Gounder against M/s.Naveen Tex and others was listed for admission on 05.10.2020 before the Hon'ble NGT through Video Conference and the Hon'ble Tribunal has passed order dt.05.10.2020 inter alia that,

"....11. In order to ascertain the genuineness of the allegations made in this application, we feel it appropriate to appoint a Joint Committee comprising of 1) The District Collector, Coimbatore District, or a Senior Officer not below the rank of Assistant Collector or Sub Divisional Magistrate deputed by the District Collector, 2) a Senior Scientist from the Tamil Nadu State Pollution Control Board as designated by its Chairman, to inspect the area in question and submit a factual as well as action taken report, if there is any violation found.

12. The committee is directed to ascertain as to whether the 6th respondent unit is having all necessary clearances and permissions for the purpose of conducting the power loom, whether the place where it is now functioning is a permissible activity as per the Town and Country Planning Act, and the zone that has been provided under the act for development activities, whether the 6th respondent unit has provided all necessary Pollution Control Measures to arrest the sound as well as dust pollution emanating from the unit.

13. The committee is also directed to conduct Ambient Air Quality as well as sound level test (both during day and night) that is being experienced in that area during the functioning of the 6th respondent unit and if it is more than the permissible limit, suggest as to what are the remedial measures to be taken for the purpose of mitigating the same and if there is any violation found, the committee is also directed to assess the environmental compensation for the damage caused to the environment including the disturbance or other allegations affecting the peaceful life of the people and health as alleged by the applicant.

- 14. The Tamil Nadu State Pollution Control Board will be the nodal agency for coordination and for providing necessary logistics for this purpose.
- 15. The applicant is also directed to submit a set of papers to the members of the committee within a week, so as to avoid delay in submitting the report.
- 16. The committee is also directed to submit the report to this Tribunal on or before 10.11.2020 by e-filing along with required hard copies to be produced as per rules..." and the case is reposted on 10.11.2020.

Hence, it is requested to nominate a suitable member (i.e. the District Collector, Coimbatore District, or a Senior Officer not below the rank of Assistant Collector or Sub Divisional Magistrate deputed by the District Collector) for the formation of joint committee to assess and to submit the factual report to Hon'ble NGT (SZ).

District Environmental Engineer TNPC Board, Coimbatore South

A - ROO

District Collector
Coimbatore

Enclosures

Hon'ble NGT (Southern Zone), Chennai order in O.A. No. 190 of 2020 dt. 05.10.2020.

1 1 14.1 2729



From
K.Selvaraj, M.Sc.,
Assistant Director (Lab)
Advanced Environmental Laboratory,
Tamilnadu Pollution Control Board,
No.5, Ramasamy Nagar,
Kavundampalayam,

Coimbatore - 641 030.

To
The District Environmental Engineer,
Tamilnadu Pollution Control Board,
Coimbatore South,
Plot No E-55A, SIDCO Ir dustrial Estate,
Pollachi Main Road,
Kurichi,
Coimbatore – 641 021.

Lr.No.TNPCB/AD(L)/AEL-CBE/Complaint/F.No.C.310/2020, Dated 07.11.2020.

Sir,

Sub: TNPC Board - O/o.AEL - Coimbatore - M/s.Naveen Tex, Vagarayampalayam, Sulur Taluk, Coimbatore - Preliminary Air / Noise Survey conducted on 06.11.2020 in the presence of DEE (South), Prop.of the unit Mr.Murugesan and Complainant Mr.C.Palanisamy - Proposed Air / Noise survey to be conducted 11.11.2020 - Intimation - Reg.

Ref: DEE's Lr.No.DEE/CBE/F.Complaint/AE-III/2020 dt.07.09.2020.

With reference to the above, it is informed that preliminary Air / Noise survey was conducted at M/s.Naveen Tex, Vagarayampalayam, Sulur Taluk, Coimbatore on 06.11.2020 in the presence of District Environmental Engineer (South), Tamilnadu Pollution Control Board, Coimbatore, the complainant Thiru.C.Palamnisamy and the unit owner Thiru.Murugesan.

The Ambient Air Quality / Noise level survey is proposed to be conducted on 11.11.2020 at M/s.Naveen Tex and in the residence of Complainant.

For further necessary action, please.

Assistant Director (Lab),
Advanced Environmental Laboratory,
Tamilnadu Pollution Control Board,
Coimbatore – 641030.

Copy Submitted to:

- 1. The Joint Chief Environmental Engineer (M), TNPC Board, Coimbatore.
- 2. Copy to File.

A Service of the serv







Coimbatore - 641 030. Office Order No.GT.73/AD(Lab)/AEL-CBE/2020, Dated 07.11.2020.

Sub: TNPC Board - AEL. Coimbatore - AAQ/NLS Survey - Regarding.

The following staff members are requested to attend the AAQ/NLS Survey as detailed below.

SI. No		Name of the industry	Details of staff and designation <u>TVL</u>
1	11.11.2020	M/s.Naveen Tex.	1. K.Selvaraj, AD (Lab)
	[Hon'ble	Thottathu Salai,	2. Dr.A.Manisekar, DCSO
	LHONBIE	6th Street, Vagarayampalayam Village,	3. S. Vetriselvan, JES (Spl.Gr)
		Sulur Taluk, Coimbatore District.	4. P. Ravichandran F.A (SG)
	caseJ	[CBE - South]	5. M.R.George, Driver (Spl.Gr)

TNPCB - CBE. AEL.

Copy Submitted to:

- The Joint Chief Environmental Engineer, TNPC Board, Coimbatore.
 The District Environmental Engineer, TNPCB, Coimbatore [South].

Copy to:-

- · The Indivuals
- · The File.



From

K.Selvaraj, M.Sc.,

Assistant Director (Lab)

Advanced Environmental Laboratory,

Tamilnadu Pollution Control Board,

No.5, Ramasamy Nagar,

Kavundampalayam,

Coimbatore - 641 030.

To.

Whe District Environmental Engineer,

Tamilnadu Pollution Centrol Board,

Coimbatore South,

Plot No E-55A, SIDCO Industrial Estate,

Pollachi Main Road,

Kurichi,

Coimbatore - 641 021.

Lr.No.TNPCB/AD(L)/AEL-CBE/Complaint/F.No.C.310/2020, Dated 09.11.2020.

Sir,

Sub: TNPC Board - O/o.AEL - Coimbatore - M/s.Naveen Tex, Vagarayampalayam, Sulur Taluk, Coimbatore - Proposed Air/Noise survey dated on 11.11.2020 is

Postponed -- Intimation - Reg.

Ref:

1. Letter received from Thiru.Murugesan, M/s.Naveen Tex, Vagarayampalayam, Sulur Taluk, Coimbatore on 09.11.2020.

2. This Office Lr.No.TNPCB/AD(L)/AEL-CBE/Complaint/F.No.C.310/2020, Dated 07.11.2020.

It is informed that the Ambient Air Survey / Noise survey was fixed on 11.11.2020 vide this office letter as reference (2).

Due to Diwali festival Labours are going to native place, non availability of raw material and annual maintenance work from 08.11.2020 to 13.12.2020 as stated by M/s.Naveen Tex (Letter copy enclosed) the Ambient Air / Noise survey is postponed. The exact date of survey will be intimated later.

> Advanced Environmental Laboratory, Tamilnadu Pollution Control Board, Coimbatore - 641030.

Copy of letter received from Thiru. Murugesan, M/s. Naveen tex, Vagarayampalayam, Sulur, Coimbatore - 641 659.

Copy Submitted to:

The Joint Chief Environmental Engineer (M), TNPC Board, Coimbatore.

- 1. Thiru.C.Palanisamy, 173/104, Thotta Salai, 6th Street, Vagarayampalayam, Sulur, Coimbatore - 641 659.
- 2. File.



TAMILNADU POLLUTION CONTROL BOARD

From

K.Selvaraj, M.Sc.,

Assistant Director (Lab),

Advanced Environmental Laboratory Tamilnadu Pollution Control Board III & IV Floor, No.5, Ramasamy Nagar,

Kavundampalayam,

Coimbatore - 641 030.

To

The District Environmental Engineer TamilNadu Pollution Control Board,

Coimbatore South.

Plot No.E-55A.

SIDCO Industrial Estate.

Pollachi Main Road, Kurichi,

Coimbatore - 641 021.

Lr.No.TNPC Bd/AD(L)/AEL-CBE/F-C.310/Noise-Complaint /2020-21, Dated 04.12.2020 Sir.

17.11.

Sub: Furnishing of Report of Analysis of Complaint Noise Level Survey - reg.

Ref: 1. DEE's Lr.No.DEE/CBE/F.Complaint/AE-III/2020 Dated 07.09.2020.

- 2. This office Lr.No.TNPC Bd/AD(L)/AEL CBE/Air Survey/F.C.310/2020-21, Dated 17.09.2020.
- 3. C.R.No.104495 Dated 01.10.2020 for Rs.20,700/-
- 4. Preliminary Inspection dated 06.11.2020.
- 5. Board's Proc.No.TNPCB/LAW/LAIII/NGT/021988/2020 dated 06.11.2020.
- 6. Inspection of Joint Committee Members RDO (S), AD (Lab), AE., O/o.DEE Coimbatore (South). TNPCB, Coimbatore on 03.12.2020.

I am sending herewith the Report of Analysis of Complaint Noise Level Survey conducted in the vicinity of M/s.Naveen Tex and in the complainant house of Thiru.C.Palanisamy. Thottathu Salai, 6th Street, Vagarayampalayam Village, Sulur Taluk, Coimbatore on 03.12.2020 at day time and night time with invoice for a sum of Rs.4,900/-(Rupees four thousand and nine hundred only) towards the above survey / analysis charges, and the same has been adjusted vide reference (3) cited. The balance amount Rs.15,800/- will be adjusted in the next AAQ survey charges.

Kindly acknowledge the receipt of the report without fail.

Authorised Signatory,
[Assistant Director (Lab)]

Encl: As above.

Copy Submitted to:

The Joint Chief Environmental Engineer, TNPC Board, Coimbatore.

Copy to:

- M/s. Naveen Tex. Thottathu Salai, 6th Street, Vagarayampalayam Village, Sulur Taluk, Coimbatore 641 659.
- 2. The file.

Page 1 of 5



TAMILNADU POLLUTION CONTROL BOARD, ADVANCED ENVIRONMENTAL LABORATORY, COIMBATORE - 641 030.



TC-7025

Accredited Laboratory - (ISO/IEC 17025:2005) AMBIENT NOISE LEVEL SURVEY REPORT

ULR-TC7025200000000550P

Report No.03/ANLS/ 2020-2021, Dated 04.12.2020.

1. Name and Address of the Complainant : Thiru.C.Palanisamy,

173/104, Thottathu Salai, 6th Street, Vagarayampalayam Village, Sulur Taluk,

Coimbatore- 641 659.

2. Name and Address of the complaint unit : M/s.Naveen Tex,

Thottathu Salai, 6th Street,

Vagarayampalayam Village, Sulur Taluk,

Coimbatore- 641 659.

12	03.	12.2020.	
Date of Survey	A PER PARENT	Time of Survey	Day Time
Type of Survey	Ambient	Time of Survey	C.ALM
Meteorological cond	itions		The State of the S
Matrix		Charles and the second	Sound Level

Logging Parameters 824 A 2030 Serial No Larson & Davis Instrument Used FAST "C" Time Weighting Peak Weighting Weighting 14.10 to 15.05 Hrs. Time in hrs RANDOM Sound Incidence

	Report of 1	100000	Level Monito	79-11-11-11	Sour	d Leve	1 - dB((A)	
61	Location	Distance (M)	Direction	Leq	L90	L ₅₀	L ₁₀	Min	Max
	At Source: During Operation	-	-	98.4	98.0	98.3	98.6	96.2	101.8
2.	In the centre hall of Loom shed. During Operation At Ambient: (At Complainant's House) At Portico (Adjacent to the compound		South	64.2	63.2	64.3	64.7	61.7	69.8
3.	wall) In front of 1 st house (Adjacent to the	-	South	64.7	63.6	64.6	65.2	61.9	71.7
4.	In front of 2 nd house (Adjacent to the	-	South	66.8	65.4	66.1	. 68.7	63.6	73.9
5.	At Source: During not Operation In the centre hall of Loom shed.	-		47.7	44.0	44.9	50.7	43.5	62.0
6	During not Operation At Ambient: (At Complainant's House) At Portico (Adjacent to the compound	-	South	50.5	48.5	49.4	53.6	46.8	58.5
7	wall) In front of 1 st house (Adjacent to the compound wall)	-	South	51.7					
8	In front of 2 nd house (Adjacent to the compound wall) Note: L90 Value refers to background noise: L50 V	-	South	47.4					

Note: L90 Value refers to background noise: L50 Value refers to mean noise.L10 value value is the average energy for the measured period. -- End of Report -

Authorised Signatory Assistant Director (Lab)

Page 2 of 5



TAMILNADU POLLUTION CONTROL BOARD, ADVANCED ENVIRONMENTAL LABORATORY, COIMBATORE - 641 030.



Accredited Laboratory - (ISO/IEC 17025:2005)

AMBIENT NOISE LEVEL SURVEY REPORT

NABL - TC-7025

ULR -TC702520000000550P

Report No.03/ANLS/ 2020-2021, Dated 04.12.2020.

1. Name and Address of the Complainant

: Thiru.C.Palanisamy,

173/104, Thottathu Salai, 6th Street, Vagarayampalayam Village, Sulur Taluk,

Coimbatore- 641 659.

2. Name and Address of the complaint unit : M/s. Naveen Tex,

Thottathu Salai, 6th Street,

Vagarayampalayam Village, Sulur Taluk,

Coimbatore- 641-659.

		Continuatore-	341.039.	
Date of Survey	03.	2.2020.		
	mbient	Time of Survey	Night Time	
Meteorological conditions		CALM		
Matrix		Sound Level		

Logging Parameters

Instrument Used Larson & Davis Serial No 824 A 2030

Weighting "A" Peak Weighting "C" Time Weighting FAST

Sound Incidence RANDOM Time in hrs 22.25 to 23.10 Hrs.

Report of Noise Level Monitoring

SI	Location	ace (ion		Sou	and Lev	vel – dI	B(A)	
No		Distance (M)	Direction	· Leq	L ₉₀	L ₅₀	L10	Min	Max
1.	At Source: In Operation In the centre hall of Loom shed.	-	•	96.5	96.0	96.4	97.1	93.9	99.6
2.	In Operation At Ambient: (At Complainant's House) At Portico (Adjacent to the compound wall)	1-1	South	61.5	60.9	61.2	61.9	59.2	72.0
3,	In front of 1 st house (Adjacent to the compound wall)		South	64.0	63.5	64.0	64.3	62.1	66.4
4	In front of 2 nd house (Adjacent to the compound wall)	- v	South	64.4	64.0	64.3	64.6	62.6	66.8
5.	At Source: Not in Operation In the centre hall of Loom shed.	117.127		44.6	44.2	44.4	44.9	43.8	47.4
6	During not Operation At Ambient: (At Complainant's House) At Portico (Adjacent to the compound wall)		South	47.5	46.4	47.1	48.4	44.7	54.4
7	In front of 1 st house (Adjacent to the compound wall)	-	South	48.6	47.9	48.7	49.1	47.0	50.7
8	In front of 2 nd house (Adjacent to the compound wall)	-	South	50.4	49.6	50.0	51.0	48.7	53.7

Note: L90 Value refers to background noise: L50 Value refers to mean noise.L10 value refers to nuisance or annoyance level :Leq value is the average energy for the measured period.

-- End of Report -

J.E.S

[K.SELVARAJ]
Authorised Signatory
Assistant Director (Lab)

Page 3 of 5



General Observations:

- 1. The Complainant house is situated adjacent to the M/s. Naveen Tex in Southern side.
- 2. The following machineries were available at M/s.Naveen Tex,
 - (i). Nc.of Looms 16 Nos. (Individual motors 0.5HP ×6Nos and Common 3HP belt driven)
 - (ii). Genset 5HP 1No
 - (iii). Tar winding Machine 2Nos.
- 3. During the Day time survey all the machineries were in operation.
- 4. During the Day time survey all the windows in South side and shutter in West side were in closed condition, except windows at West side and East side.
- 5. During the Night time survey all the looms were in operation except Tar Winding Machine 2Nos.
- 6. During the Night time survey all the windows and shutter in closed condition.
- 7. During the survey complainant Thiru.C.Palanisamy and M/s.Naveen Tex unit Proprietor Thiru.Muru.gesan, Thiru.Dr.P.Ramesh, Assistant Engineer, O/o.District Environmental Engineer, TNPC Board, Coimbatore (South) were present.

Authorised Signatory
Assistant Director (Lab)



TAMILNADU POLLUTION CONTROL BOARD Advanced Environmental Laboratory, Coimbatore.

BILL FOR COMPLAINT NOISE LEVEL SURVEY

Bill No: ANLS/ 03/ 2020 - 21

Date : 04.12.2020.

Tin

The District Environmental Engineer TamilNadu Pollution Control Board, Coimbatore South, Plot No.E-55A, SIDCO Industrial Estate, Pollachi Main Road, Kurichi, Coimbatore – 641 021.

- Ref:1. DEE's Lr.No.DEE/CBE/F.Complaint/AE-III/2020 Dated 07.09.2020.
 - This office Lr.No.TNPC Bd/AD(L)/AEL CBE/Air Survey/F.C.310/ 2020-21, Dated 17.09.2020.
 - 3. C.R. No.104495 Dated 01.10.2020 for Rs.20,700/-
 - 4. Preliminary Inspection dated 06.11.2020.
 - 5. Board's Proc.No.TNPCB/LAW/LAIII/NGT/021988/2020 dated 06.11.2020.
 - 6. Inspection of Joint Committee Members RDO (S), AD (Lab). AE., O/o.DEE Coimbatore (South), TNPCB, Coimbatore on 03.12.2020.

SI. No.	Description	Rate in Rs.	No. of points	Amount in Rs.
1.	Noise Level Survey charges.	4000/-	5Points	4,000.00
	(Each Addition Points Rs.300/-)	300/-	3Points	900.00
	(Rupees Four thousand and nine hundred only).	Total	8Points	4,900.00

Note: The balance amount Rs.15,800/- will be adjusted in the next AA.Q survey charges.

J.E.S

Authorised Signatory
Assistant Director (Lab)

Page 5 of 5



K. Selvaraj, M.Sc.,

Assistant Director (Lab),

Advanced Environmental Laboratory Tamilnadu Pollution Control Board III & IV Floor, No.5, Ramasamy Nagar,

Kavundampalayam,

Coimbatore - 641 030.

To

The District Environmental Engineer TamilNadu Pollution Control Board,

Coimbatore South,

Plot No.E-55A,

SIDCO Industrial Estate, Pollachi Main Road, Kurichi,

Coimbatore - 641 021.

Lr.No.TNPC Bd/AD(L)/AEL-CBE/F-C.310/Noise-Complaint /2020-21, Dated 04.12.

Sub: AAQ Survey not conducted due to Bad Weather condition - intimation - reg.

Ref: 1. DEE's Lr.No.DEE/CBE/F.Complaint/AE-III/2020 Dated 07.09.2020.

- 2. This office Lr.No.TNPC Bd/AD(L)/AEL CBE/Air Survey/F.C.310/ 2020-21, Dated 17.09.2020.
- 3. C.R.No.104495 Dated 01.10.2020 for Rs.20,700/-
- 4. Preliminary Inspection dated 06.11.2020.
- 5. Board's Proc.No.TNPCB/LAW/LAIII/NGT/021988/2020 dated 06.11.2020.
 - 6. Inspection of Joint Committee Members RDO (S), AD (Lab), AE., O/o.DEE Coimbatore (South), TNPCB, Coimbatore on 03.12.2020.


With reference to the above, it is informed that Ambient Air Quality survey at M/s. Naveen Tex not conducted on 03.12.2020 due to bad weather condition (Drizzling and Cloudy). The survey will be conducted during clear / sunny weather condition probably by next week.

For favour of kind information, Please.


Assistant Director (Lab), Advanced Environmental Laboratory Tamilnadu Pollution Control Board,

Coimbatore - 641030.

2002年1月1日 - 1942年1月1日 - 1952年1月1日 - 19




M/s. Naveen Tex




The main entrance of M/s. Naveen Tex



Thiru. Murugesan, M/s. Naveen Tex 6th respondent and his family residing opposite to the unit




Distance between M/s. Naveen Tex compound and the Petitioner's house




The Petitioner's house



Inspection of M/s. Naveen Tex by the Joint Committee







All the windows have been sealed with cement pasted masonry which faces the petitioner house.




Day time Noise level survey in presence of 6th respondent at M/s.Naveen Tex



Day time Noise level survey in presence of 6th respondent at M/s.Naveen Tex






Day time Noise level survey in presence of the Petitioner Thiru.C.Palanichamy at the Portico of his house




Day time Noise level survey in presence of the Petitioner Thiru. C. Palanichamy in front of their $1^{\rm st}$ and $2^{\rm nd}$ house near the compound wall



Night time Noise level survey at M/s. Naveen Tex



Night time Noise level survey in presence of the Petitioner Thiru.C.Palanichamy at the Portico of his house



Ambient Air Quality Survey (AAQ) was conducted on 08.01.2021 at the Portico of the petitioner residence



Ambient Air Quality Survey (AAQ) was conducted on 08.01.2021 on top of open terrace of the petitioner residence

IN THE HIGH COURT OF JUDICATURE AT MADRAS

DATED: 04.06.2018

CORAM

The HON'BLE MS.INDIRA BANERJEE, CHIEF JUSTICE AND The HON'BLE MR.JUSTICE ABDUL QUDDHOSE

W.P.No.10356 of 2018

G.Eswari

.. Petitioner

Vs

- The District Collector Erode District, Erode.
- The Superintending Engineer TANGEDCO, Electricity Distribution Circle EVN Road, Erocle.
- 3. The Executive Engineer (O&M) TANGEDCO, Urban Division EVN Road, Erode.
- The District Environmental Engineer Tamil Nadu Pollution Control Board Erode District, Erode.
- 5. The Assistant Director Town and Country Planning Erode.
- 6. P.Karuppannaswamy

.. Respondents

PRAYER: Petition under Article 226 of the Constitution of India for issuance of a writ of Mandamus directing respondents 1, 4 and 5 to take action against the sixth respondent' power loom factories illegally

http://www.judis.nic.in

(2)

running in Survey No.38, 39, Minnakadu Thottam, Thanneerpandalpalayam, Veerappan Chatram Post, Erode – 4.

For Petitioner

: Mr.S.Kolandasamy

For Respondents

: Mr.E.Manoharan Addl. Government Pleader for respondents 1 and 5

Mrs.Rita Chandrasekaran for 4th respondent

Mr.S.Sai Sathyajith for 6th respondent

ORDER (Made by Ms.Indira Banerjee, Chief _'ustice)

It is the case of the petitioner, a resident of Eswari Illam, Minnakkad」 Thottam Pavaye, Thanneerpandalpalayam, Veerappan Chatram Fost, Erode, that the sixth responden: is illegally running more than 100 Power Looms under three sheds without consent from the fourth respondent, being the Tamil Nadu Pol ution Control Board. The petitioner complains of unbearable noise as also dust from the power looms.

2. The petitioner filed an application, being Application No.127 of 2017, before the National Green Tribunal, Southern Zone, Chennai.

The application was disposed of by an order dated 28.8.2017, whereby the petitioner was directed to approach the appropriate authority notified under the Noise (Regulation and Control) Rules, 2000 for redressal of her grievances. It was, however, directed that the Pollution Control Board should continue to monitor the roise level and take action in accordance with law as and when the noise exceeded the permissible decibel level.

3. We direct the Pollution Control Board to ensure that the Power Looms are not operated beyond the permitted working hours, which is from 10 A.M. in the morning to 6 P.M. in the evening, and to ensure that the noise level does not exceed the permissible decitel level.

With the aforesaid directions, the writ petition is disposed of. No costs. Consequently, W.M.P.No.12326 of 2018 is closed.

(I.B., CJ.) (A.Q., J.)

Index Internet

No

sasi

http://www.judis.nic.in

To:

- 1. The District Collector Erode District, Erode.
- 2. The Superintending Engineer TANGEDCO, Electricity Distribution Circle EVN Road, Erode.
- The Executive Engineer (O&M) TANGEDCO, Urban Division EVN Road, Erode.
- 4. The District Environmental Engineer Tamil Nadu Pollution Control Board Erode District, Erode.
- 5. The Assistant Director Town and Country Planning Erode.



From

K.Selvaraj, M.Sc.,
Assistant Director (Lab)
Advanced Environmental Laboratory,
Tamilnadu Pollution Control Board,
No.5, Ramasamy Nagar,
Kavundampalayam,
Coimbatore – 641 030.

To
The District Environmental Engineer,
Tamilnad Pollution Control Board,
Coimbatore South,
Plot No E-55A, SIDCO Industrial Estate,
Pollachi Main Road,
Kurichi,
Coimbatore – 641 021.

Lr.No.TNPCB/AD(L)/AEL-CBE/Complaint/F.No.C.310/2021, Dated 05.01.2021.

Sir,

Sub: TNPC Board – O/o.AEL – Coimbatore – M/s.Naveen Tex, Vagarayampalayam, Sulur Taluk, Coimbatore – Proposed Ambient Air Quality survey to be conducted on 08.01.2021 – Intimation – reg.

I am to inform that Ambient Air Quality survey at M/s.Naveen Tex, Vagarayampalayam, Sulur Taluk, Coimbatore is proposed to be conducted on 08.01.20201 and requested to kindly depute Assistant Engineer to coordinate the survey team.

For further action Please.

Assistant Director (Lab), Advanced Environmental Laboratory, Tamilnadu Pollution Control Board, Coimbatore – 641030.


Copy Submitted to:

The Joint Chief Environmental Engineer (M), TNPC Board, Coimbatore.

Copy to:

- 1. Thiru.C.Palanisamy, 173/104, Thotta Salai, 6th Street, Vagarayampalayam, Sulur, Coimbatore 641 659.
- 2. M/s.Naveen Tex, Vagarayampalayam, Sulur Taluk, Coimbatore 641659 is informed to operate all the power looms on the day of survey.
- 3. File.

RA



Office Order No.GT.73/AD(Lab)/AEL-CBE/2021, Dated 05.01.2021.

Sub: TNPC Board - AEL. Coimbatore - AAQ/NLS Survey - Regarding.

The following staff members are requested to attend the AAQ/NLS Survey as detailed below.

SI.	Survey	Name of the industry	Details of staff and designation
No	date		TVL
1.1	08.01.2021	M/s.Naveen Tex.	1. K.Selvaraj, AD (Lab)
		Thottathu Salai, 6th Street.	2. S. Vetriselvan, JES (Spl.Gr)
		Vagarayampalayam Village. Sulur Taluk.	3. M.R.George, Driver (Spl.Gr)
		Coimbatore District. [CBE - South]	

Assistant Director (Lab) AEL - TNPCB - CBE.

No.

Copy Submitted to:

- * The Joint Chief Environmental Engineer, TNPC Board, Coimbatore.
- * The District Environmental Engineer, TNPCB, Coimbatore [South].

Copy to:-

- . The Indivuals
- The File.



TAMILNADU POLLUTION CONTROL BOARD

Advanced Environmental Laboratory, Coimbatore - 641 030. To

K.Selvaraj, M.Sc.,

Assistant Director (Lab).

Advanced Environmental Laboratory Tamilnadu Pollution Control Board

III & IV Floor, No.5, Ramasamy Nagar,

Kavundampalayam,

Coimbatore - 641 030.

The District Environmental Engineer TamilNadu Pollution Control Board,

Coimbatore South,

Plot No.E-55A,

SIDCO Industrial Estate, Pollachi Main Road, Kurichi,

Coimbatore - 641 021.

Lr.No.TNPC Bd/AD (L)/AEL - CBE/AAQS/F.No.C.310/2020 - 21, Dated 18.01.2021.

Sir.

From

Furnishing of Report of Analysis of Ambient Air Quality Survey - M/s.Naveen Tex. Thottathu Salai, 6th Street, Vagarayampalayam Village, Sulur Taluk, Coimbatore -

Ref: 1. DEE's Lr.No.DEE/CBE/F.Complaint/AE-III/2020 Dated 07.09.2020.

- 2. This office Lr. No.TNPC Bd/AD(L)/AEL CBE/Air Survey/F.C.310/ 2020-21, Dated 17.09,2020.
 - 3. C.R.No.104495 Dated 01.10.2020 for Rs.20,700/-
 - 4. Board's Proc.No.TNPCB/LAW/LAIII/NGT/021988/2020 dated 06.11.2020.
 - 5. Preliminary Inspection dated 06.11.2020.
- 6. Inspection of Joint Committee Members RDO (S), AD (Lab), AE., O/o.DEE Coimbatore (South), TNPCB, Coimbatore on 03.12.2020.

I am sending herewith the Report of Analysis of Ambient Air Quality Survey conducted in the complainant house of Thiru.C.Falanisamy. Thottathu Salai, 6th Street, Vagarayampalayam Village, Sulur Taluk, Coimbatore on 08.01.2021 & 09.01.2021 at day time and night time with invoice for a sum of Rs.15.200/- (Rupees fifteen thousand and two hundred only) towards the above survey / analysis charges, and the same has been adjusted vide reference (3) cited. The excess amount Rs.600/- will be adjusted in the next AAQ survey charges.

Kindly acknowledge the receipt of the report without fail.

Authorised Signatory, [Assistant Director (Lab)]

Encl: As above.

Copy Submitted to:

The Joint Chief Environmental Engineer, TNPC Board, Coimbatore,

Copy to:

- 1. M/s.Naveen Tex. Thottathu Salai, 6th Street, Vagarayampalayam Village, Sulur Taluk, Coimbatore- 641 659.
- 2. The file.



TAMILNADU POLLUTION CONTROL BOARD, ADVANCED ENVIRONMENTAL LABORATORY, COIMBATORE - 641 030.



Accredited Laboratory - (ISO/IEC 17025:2005)

AMBIENT AIR QUALITY SURVEY - Report of Analysis

ULR TC-702520000000636P

Day Time

Report No. 36/AEL - CBE/ AAQS/2020 - 2021, Dated 18.01.2021.

1. Name of the Industry

M/s.Naveen Tex

2. Address of the Industry

Thottathu Salai. 6th Street.

Vagarayampalayam Village, Sulur Taluk,

Coimbatore - 641 659.

7. Date of Survey

08.01.2021.

4. Duration of Survey

8 Hours

5. Test Started on

12.01.2021.

6. Test Completed on

12.01.2021.

7. Matrix

Ambient Air Quality

Meteorological Conditions

Ambieni	Min	Max	Relative	Min	Max
Temperature (°C)	25.3	30.2	Humidity (%)	51	7.5
Weather Condition	Partially	Cloudy	Rain Fall(mm)		il
Predominant Wind Direction	North East → South West		Mean Wind Speed (km / hr)	-	•

Ambient Air Quality Survey Results

SI.	Location	Direction	Distance (m)*	ıt Form J(m)	Pollutants Concentration (microgram / m3)		
		Dire	Dis (n	Height GL(PM ₁₀	SO ₂	NO ₂
1	On top of Open terrace of Thiru.C.Palaniswamy House.	Sout	5	4.0	45.0	5.0	16.0
2	On top of scaffolding in the portico of Thiru.C.Palaniswamy House.	Sout 1	5	2.0	42.0	6.0	17.0

Note:- * With respect to major emission sources.

The analytical results are restricted to the sampling period of 8 hrs.

During the Ambient Air Quality Survey, 16 Looms and 2 Tar winding machines were in operation at M/s. Naveen Tex.

Test Performed	Test Method
PM ₁₀	IS 5182: (Part 23) – 2006
SO ₂	Modified West - Gaeke / IS 5182: (Part 2) - 2001 RA: 2012
NO:	Jacobs - Hochheiser / IS 5182: (Part 6) - 2006 RA: 2012

-- End of Report -

Authorised Signatory [Assistant Director (Lab)]



TAMILNADU POLLUTION CONTROL BOARD, ADVANCED ENVIRONMENTAL LABORATORY, COIMBATORE - 641 030.



Accredited Laboratory - (ISO/IEC 17025:2005)

AMBIENT AIR QUALITY SURVEY - Report of Analysis

NABL - TC-7025

Night Time

ULR TC-702520000000636P

Report No. 36/AEL - CBE/ AAOS/2020 - 2021, Dated 18.01.2021.

1. Name of the Industry

M/s.Naveen Tex

2. Address of the Industry

Thottathu Salai. 6th Street.

Vagarayampalayam Village, Sulur Taluk,

Coimbatore - 641 659.

3. Date of Survey

08.01.2021 & 09.01.2021.

4. Duration of Survey

8 Hours

5. Test Started on

12.01.2021.

n. Test Completed on

12.01.2021.

7. Matrix

Ambient Air Quality

Meteorological Conditions

Ambient	Min	Max Relative		Min	Max
Temperature (°C)	24.6	25.7	Humidity (%)	73	78
Weather Condition	Partially	Cloudy	Rain Fall(mm)	Nil	
Predominant Wind Direction	North East → South West		Mean Wind Speed (km / hr)		

Ambient Air Quality Survey Results

SL No	Location	Direction *	Distance (m) *	ıt Form L(m)	Con	ollutan icentra ogram	tion
		Dir	Dis	Height GL(PM ₁₀	SO ₂	NO ₂
l	On top of Open terrace of Thira.C.Palaniswamy House.	South	5	4.0	18.0	<4.0	13.0
2	On top of scaffolding in the portico of Thiru.C.Palaniswamy House.	South	5	2.0	13.0	<4.0	13.0

Note:- * With respect to major emission sources.

The analytical results are restricted to the sampling period of 8 hrs.

During the Ambient Air Quality Survey, 16 Looms and 2 Tar winding machines were in operation at M/s. Naveen Tex.

Test Performed	Test Method
PM ₁₀	IS 5182: (Fart 23) – 2006
SO_2	Modified West - Gaeke / IS 5182: (Part 2) - 2001 RA: 2012
NO_2	Jacobs - Hochheiser / IS 5182: (Part 6) - 2006 RA: 2012

-- End of Report -

[K.SELVARAJ]
Authorised Signatory
[Assistant Director (Lab)]

TAMILNADU POLLUTION CONTROL BOARD

Advanced Environmental Laboratory, Coimbatore - 641 030.

BILL

Report No.36/AEL - CBE/AAQ/SM/2020 - 2021, Dated 18.01.2021.

Bill No.	36/2020 - 2021	
Date	18.01.2021.	

To

M/s.Naveen Tex

Thottathu Salai, 6th Street,

Vagarayampalayam Village, Sulur Taluk,

Coimbatore - 641 659.

- Ref: 1. B.PMs.No.6 Dt.31.03.2009.
 - 2. DEE's Lr.No.DEE/CBE/F.Complaint/AE-III/2020 Dated 07.09.2020.
 - 3. This office Lr.No.TNPC Bd/AD(L)/AEL CBE/Air Survey/F.C.310/ 2020-21. Dated 17.09.2020.
 - 4. C.R.No.104495 Dated 01.10.2020 for Rs.20,700/-
 - 5. Board's Proc.No.TNPCB/LAW/LAIII/NGT/021988/2020 dated 06.11.2020.
 - 6. Preliminary Inspection dated 06.11.2020.
 - 7. Inspection of Joint Committee Members RDO (S), AD (Lab), AE., O/o.DEE Coimbatore (South), TNPCB, Coimbatore on 03.12.2020.

SI.	Description	Rate	No. of	Amount
No.		(Rs)	Stations/Stacks	(Rs)
1.	SAMPLING CHARGES: (i). Ambient Air Quality Monitoring	2,000.00	4	8.000.00
5.	ANALYTICAL CHARGES: (i). Ambient Air Samples PM ₁₀ , SO ₂ , NO ₂ (each Rs.600/-)	1,800.00	4	7.200.00
3.	TRANSPORATION CHARGES:	-	-	-
	15,200.00			
Less	20,700.00			
Less	4,900.00			
Fixe	600.00			

The Excess amount Rs.600/- will be adjusted in the next AAQ survey charges.

Authorised Signatory [Assistant Director (Lab)]

Page 4 of 4

Ment Mende

அனுப்புனர்

Jan 1

थातिएए। एक

தோட்டத்து சாலை, 6வது வீதி,

வாகராயம்பாளையம்,

சூலூார் தாலுக்கா, கோயம்புத்தூர்



உயாதிரு மாவட்ட சுற்றுச் சூழல் பொறியாளா அவாகள் தமிழ்நாடு மாசுக் கட்டுப்பாட்டு வாரியம் கோயம்புத்தூாா் தெற்கு, பிளாட் எண் E-55-A, சிட்கோ இன்டஸ்ட்ரியல் எஸ்டேட், போள்ளாச்சி மெயின் ரோடு, கோவை — 21.

ஐயா

பொருள் - தங்களின் 26.11.2020ம் தேதிய எச்சரிக்கை அறிவிப்பிற்கு விளக்கம் தொடர்பாக

பார்வை – Proc No. DEE/TNPCB/CBS/NA/SULUR/GS/A/2020 dated 26.11.2020

வணக்கம், நான் மேற்கண்ட முகவரியில் வசித்து வந்து, நவீன் டெக்ஸ் எனற பெயரில் பவர் லூம் வைத்து கடந்த 27 வருடங்களாக நடத்தி வருகிறேன். பார்வையில் கண்ட தங்களின் அறிவிப்பு எனக்கு கடந்த 26.12.2020ம் தேதியில் சார்பு செய்யப்பட்டுள்ளது. அதனைக் குறித்த எனது கீழ்க்கண்ட விளக்கத்தினை தங்களுக்கு சமர்ப்பிக்கிறேன். மேற்படி நிறுவனம் அமைந்துள்ள இடம் எனக்கு தனிப்பட்ட முறையில் கிரைய வகையில் பாத்தியப்பட்டதாகும். அந்த இடத்தில் கடந்த 1993ம் ஆண்டில் பவர் லூம் இயந்திரங்களை வைத்து வியாபாரத்தைத் துவக்கினேன். அப்போதைய சூழலில் அந்த இடத்தில் எந்த வீடுகளும் இல்லை. எனது நிறுவனம் செயல்பட்டு வரும் இதே காலையான க.ச. எண் 208ல் தற்போதும் சுமார் 20லிருந்து 25 வரையான பவர் லூம் யூனிட்கள் செயல்பட்டு வருகிறது. மேலும் மோப்பிரிபாளையம் மற்றும் வாகராயம்பாளையம் பகுதிகளில் மொத்தம் மேலும் 200க்கும் மேற்பட்ட பவர் லூம் யூனிட்கள் செயல்பட்டு வருகிறது.

மோப்பிரிபாளையம் கிராமம் க.ச. எண் 208 காலை பூமிகள் இதுவரையும் எந்தவகையானது என்பதைக் குறித்து வகைப்படுத்தப்படவில்லை. இது சம்மந்தமாக எனது சகோதரா் திரு.பன்னீா்செல்வம் அவாகள் கோயம்புத்தூாா் மாவட்ட நகா் ஊரமைப்பு அலுவலகத்தில் தகவல் அறியும் உரிமைச் சட்டத்தின்படி தகவல் கோரிய போது, 26.11.2020ம் தேதிய ந.க. எண் 3884/2020சுஎத-ல் "மோப்பிபாளையம் பேரூராட்சி பகுதியில் ர்கள் ஊரமைப்புச் சட்டத்தின்படி நிலங்கள் எதுவும் பயன்பாடு வகைப்படுத்தி, இவ்வலுவகத்தில் ஆவணமாக இல்லை" என்று தெரிவித்துள்ளார்கள். எனவே மேற்படி பூமியானது unclassified வகையில் வருகிறது. குறிப்பாக குடியிருப்புப் பகுதியாக வகைப்படுத்தவில்லை என்புது ஊா்ஜிதமாகிறது. அந்த கடிதத்தின் நகலை நான் இத்துடன் இணைத்துள்ளேன். மோப்பிரிபாளையம் பேரூராட்சியில் இருந்து க.ச. எண் 208 காலையில் உள்ள பூமிகள் குடியிருப்பு, தொழிற்சாலை அல்லது வணிகம் ឥថា பிரித்து வரையறுக்கப்படவில்லை តផាញ្ញ தெளிவாகக் கடிதம் नळा ந.க.298,2020ன்படி வழங்கியுள்ளார்கள். அதன் நகலையும் இத்துடன் இணைத்துள்ளேன்.

மேலும் கடந்த 1993ம் வருடத்தில் நான் தமிழ்நாடு அரசின் மாவட்டத் தொழில் மையத்தில் நான் எனது நிறுவனத்தைப் பதிவு செய்துள்ளேன். அதில் எனது நிறுவனத்தின் வகை Tiny unit என்று வகைப்படுத்தி பதிவுச் சான்றிதழ் எண் LA 42/93-94ன்படி கொடுத்துள்ளார்கள். அந்த நகலையும் நான் இத்துடன் தங்களின் பார்வைக்கு சமர்ப்பிக்கிறேன்.

மேலும் தற்போது என் மீது புகாா் கொடுத்துள்ள திரு.பழனிச்சாமி என்பவா் தற்போது வீடு கட்டி குடியிருந்து வரும் இடத்தில் கடந்த 2001ம் ஆண்டிலிருந்து 2007ம் ஆண்டு வரையும் பவா் லூம் யூனிட் வைத்து நடத்தி வந்தாா். தொழில் போட்டி மற்றும் நெருக்கடி காரணமாக கடந்த 3 ஆண்டுகளுக்கு முன்பு. அவரது இடத்தில் இருந்த ஷெட்டை இடித்து விட்டு புதிதாக வீடு கட்டினாா். அப்போது அவா் செலுத்தி வந்த மின் கட்டணம் குறித்த பதிவுகளை தங்களின் மேலான பாா்வைக்கு இணைத்துள்ளேன். இதில் அவருக்கு விசைத் தறி தொழிலுக்கு அரசு வழங்கும் குறிப்பிட்ட அளவிற்கான இலவச மின்சார யூனிட்டுகள் குறிப்பட்டுள்ளது தெளிவாகும்.

மேலும் மேற்படி காலையில் மற்றவாகளும் பவா லூம் யூனிட் நடத்தி வருகிறார்கள் என்பதைக் காட்டுவதற்குண்டான ஆவணங்களையும் இத்துடன் தாக்கல் செய்துள்ளேன். மேலும் சம்மந்தப்பட்ட கிராம நிர்வாக அலுவலர் அவர்கள் வழங்கிய FMB ஸ்கெட்சிலும் மேற்படி காலை எண் 208ல் விசைத் தறிக் கூடங்கள் இருப்பதற்கு உண்டான பதிவுகள் தெரிகிறது.

மேலும் வகைப்படுத்தப்படாத இடத்தில் குடியிருப்புப் பகுதி என்று கோரிக்கை வைக்கும் மேற்படி நபா, என் மீதுள்ள வன்மத்தாலும் தொழில் போட்டியாலும் பொய்யான காரணங்களைக் கூறி தொடா்ந்து எனது தொழிலுக்கு இடையூறு செய்து வருகிறாா். மேலும் மோப்பிரிபாளையம் பேரூராட்சி மற்றும் வாகராயம்பாளையம் பகுதிகளில் பல பகுதிகளில் விசைத்தறிக்கூடங்கள் செயல்பட்டு வருகிறது என்பதையும் சமா்ப்பித்துக் கொள்கிறேன்.

நான் எனக்கு பாத்தியப்பட்ட விசைத் தறிக் கூடத்திற்கு தகுந்த அனுமதியை உள்ளாட்சியிலும், மின் இலாக்காவிலும் மற்றம் மாவட்ட தொழில் மையத்திலும் பெற்று நடத்தி வருகிறேன். தமிழ்நாடு மாசுக் கட்டுப்பாட்டு வாரியத்திலும் அனுமதி பெற வேண்டும் என்றால், அதற்கும் நான் தயாராக உள்ளேன். மேலும் இந்த விசைத்தறிக் கூடம் வகைப்படுத்தப்படாத இடத்தில் செயல்பட்டு வருவதால், க.ச. எண் 208 பூமியானது குறிப்பாக மனைக் குடியிருப்புப் பகுதி என வரையறுக்க இயலாது என்பதை தாழ்மையுடன் தெரிவித்துக் கொள்கிறேன்.

மேலும் கடந்த 24.07.1974ம் தேதிய ஊரக மற்றும் ஊள்ளூர் நிர்வாகத் துறை வழங்கியுள்ள அரசாணை எண் G.O.Ms. No. 1730ல், குறுந்தொழில்கள் நடைபெற நிலங்களை மண்டலங்களாக வகைப்படுத்தி அறிவித்துள்ளது. அதில் எந்தெந்த மண்டலங்களில் மேற்படி நிறுவனங்கள் செயல்படலாம் என்றும் குறிப்பிட்டள்ளது. இதனை ஊர்ஜிதப்படுத்தி, நமது மாண்புமிகு சென்னை உயர்நீதிமன்றம் W.P. எண் 3287/2017ல் தெளிவாக எடுத்துரைக்கப்பட்டுள்ளது. அந்த உத்தரவின் நகலையும் தங்களின் பார்வைக்கு சமர்ப்பிக்கிறேன்.

பரிசோதனைகளை அளவு குறித்த ஏற்கனவே Noise தாங்கள் மேற்படி நூனும் பரிந்துரையின்படி தங்களின் மேற்கொண்டுள்ளீர்கள். பாிசோதனைகளுக்கு உண்டான தொகையை ஏற்கனவே செலுத்தியுள்ளேன். அதன் ரசீதையும் இத்துடன் இணைத்துள்ளேன். உண்மையில் அவ்வாறு ஒலி மாசு மற்றும் காற்று மாக இல்லை, வேண்டுமென்றே மேற்படி நபா பொய்யாகக் கூறி வரகிறாா். அவ்வாறு ஒலி மாக அல்லது காற்று மாசு இருப்பதாக சோதனையின் முடிவில் தெரிய வந்தால், அதனை தடுப்பதற்கும் முன்னெச்சரிக்கை நடவடிக்கைகளை நான் எடுப்பதற்கும், தங்களால் இடப்படும் நிபந்தனைகளுக்கும் கட்டுப்படுகிறேன் எனறும் இதன் மூலமாகத் தெரிவித்துக் கொள்கிறேன்.

நன்றி

இப்படிக்கு

C, GG BBDOOD

(முருகேசன்)

பதிவு அஞ்சல் ஒப்பகை அட்டையுடன்

அனுப்புநர்

திரு.சு.சுப்பிரமணியன், பி.இ., பாது தகவல் அலுவலா /உதவி இயக்குநா, கோயம்புத்தூர் மாவட்ட நகர்,ஊரமைப்பு அலுவலகம், மாநகராட்சி வணிக வளாகம், டாக்டா் நஞ்சப்பா சாலை, கோயம்புத்தூர் - 641 ()18. kovaidisttcp@gmail.com Ph.No. 0422-2380243.

பெறுநர்

திரு. S. பன்னீர்செல்வம், S/o.சுப்பணகவுண்டர், 1/210, வேலாயுதம் நகா், முதலிபாளையம், சரசூர் (Po) − 641407, சூலூர் வட்டம், கோயம்புத்தூர் மாவட்டம்.

ந.க.எண். 3884/2020/ சுஎ 🕾

ஐயா,

நாள்: 26.11.2020

தகலல் அறியும் உரிமைச் சட்டத்தின் கீழ் தகவல்கள் கோரியது

பார்வை:

தங்: ்ர் விண்ணப்பம்

நாள்.20.11.2020

(24.11.2020

பெர் பட்டது).

பார்வையில் கண்ட தங்களது விண்ணப்பத்தில் மோப்பிரிபாளையம் பேரூராட்சி ட ல எண்.208-இல் விசைத் தறிக்கூடம் இயங்கி வருவதாகக் குறிப்பிட்டு, இது தொழிற்சான ல நிலமா எனக் கோரப்டட்டதிற்கு மோப்பிரிபாளையம் பேரூராட்சிப் பகுதியில் நகர் ஊரமைப்ட ச சட்டத்தின் படி நிலங்கள் ஏதும் பயன்பாடு வகைப்படுத்தி இவ்வலுவலகத்தின் ஆவணமா 5 பக்கத்தில் கட்டிக கொள்ளலாமா வீடு கோரப்படுவதற்கு உரி. கட்டிட அனுமதி / கட்டிட உரிமம் பெற்றுக் கொள்ளப்பட வேண்டும். எனப் பொதுவா 5

மேற்கண்ட கவல்கள் அளித்ததில் முறையீடு இருந்தால் கீழ்க்கண்ட முதல் முறையீட்டு அலுவலாகு 30 நாட்களில் முறையீடு செய்து கொள்ளுமாறு தெரிவித்துக்

திரு.இரா.வாழவந்தான், பி.இ.,

இணை இயக்குநர் ்றதல்முறையீட்டு அலுவலர், கோயும்புத்தூர் மா ் . ட நகர் ஊரமைப்பு அலுவலகம், மாநகராட்சி வணிச் பளாகம்,

டாக்டர் நஞ்சப்பா கட்கை,

கோயம்புத்தூர் - 64 118.

kovaidisttep@gm com Ph.No. 0422-2380 3.

டை கூறி மாகிக்கு நார் விறுவ்கள் உதவி இயக்கு நார் மாவட்ட நகா் ஊரமைப்பு அலுவலகம்

கோயம்புத்தூர் மாவட்டம்

மோப்பிரிடாளையம் பேரூராட்சி அலுவலகம், கோயம்புத்தூர் – 641 659.

கடிதக்குறிப்பு

ந.க.எண் :298/2020

நாள்: 04.01.2021

பொருள் :

நிலம் – கோயம்புத்தூர் மாவட்டம் – மோப்பிரிபாளையம் பேரூராட்சி –

க.ச.எண்.208 தோட்டச்சாலை பகுதியின் நிலப்பயன்பாடு விவரம்

கேட்டது – விவரம் தெரிவித்தல் – தொடர்பாக.

பார்வை :

திரு திரு.எஸ்.பன்னீர்செல்வம், த/பெ.சுப்பணகவுண்டர், 1/210,

வேலாயுதம் நகர், முதலிபாளையம், அரசூர், சூலூர், அவர்களின்

விண்ணப்பம்

பார்வையில் மோப்பிரிபாளையம் பேரூராட்சிக்குட்பட்ட காணும் கடிதத்தில் க.ச.எண்.208 வாகராயம்பாளையம் பகுதியில் தோட்டச்சாலை பகுதி எவ்வகையான விவரம் தெரிவிக்க கேட்கப்பட்டது. மோப்பிரிபாளையம் நிலப்பயன்பாட்டிற்குரியது என்ற முழுமையான திட்டத்தில் பேரூராட்சியானது உள்ளூர் திட்டக்குழுமத்தின் (Master Plan) வருவதில்லை என்பதால் பேரூராட்சி பகுதிகள் குடியிருப்பு, தொழிற்சாலை அல்லது வணிகம் என பிரித்து வரையறுக்கப்படவில்லை என்ற விவரம் இதன் மூலம் தெரிவிக்கப்படுகிறது.

> மோப்பிரிபாளையம் பேரூராட்சி வாகராயம்பாளையம் —641659

பெறுதல் திரு.எஸ்.பன்னீர்செல்வம், த/பெ.சுப்பணகவுண்டர், 1/210, வேலாயுதம் நகர், முதலிபாளையம், அரசூர் அஞ்சல், சூலூர், கோயம்புத்தூர்–641407 In the second second

TOP PRIORITIES SCHWARD FALLIK

Application Received on 1866

தமிழ்நாடு அரச GOVERNMENT OF TAMIL NADU தொழில் வணிக இயக்ககம் DIRECTORATE OF INDUSTRIES

மாவட்டத் தொழில் மையம் DISTRICT INDUSTRIES CENTRE

இது தொழில் / துணைத் தொழில் / இறு சேவை நிறுவனம் / கின்னஞ்சிறு தொழில நிலையம் என்ற தற்காலிகப் பதிவுச் சான்றித்து. PROVISIONAL REGISTRATION GERTIFICATE AS A EMALL-SCALETANCIBLARY UNDERTAKONG/SMALL SCALE/SBEWICE ESTABLISHMENT/TINY UNIT வைரையறுக்கப்பட்ட கண்டார்கட்டுறவுக் சங்கம் மற்றவலக் குக்கம் This is to costify that M/s. N. Senniappen. proprietory pranaratinamental and policies for in the farmer (ANDIOGE CLANE) (Office Address.) Gandhi Bazaar, Vagarayampalayam, Karumathampatti, Palladan Tk. Take to a misterially englythred as Seaslifficals Ancibary and anothing of hall Sorvice Establish with This Follow the masic mis dur giera ben under. en cult INS 1 / 14 35 6 / 04 / 18 / Temp Fir ofr: Francis . 93 Date valid upto: செல்லந்தக்க தான் 1 For the factory to be located at ... SF. 208, 208/5. Theonemps a war Roll, Vogernyampel ayan Moppiripal ayam , Karumath ampetti, (Full adam) 638 659 and a second second the second to the second

போருட்கள் தயாகீடுவதற்காக|பக்குவப் படுத்துவதற்காக

tor the manufacture processing of the following items !

பொருள்கள்! Items:

Powerloom Gada cloth on job work basis only

213-18

Bush on war 1-

sbject to the following conditions:

1. இந்த தற்காலிகப் பறிவு ஈராண்டு மட்டும் செல்லத்தக்கதாகு ... The provisional Registration granted is valid for two years only.

#. உற்பத்திக்குரிய அனைத்து முயற்சிகளுமே எடிக்கப்பட்டிருந்தும்.கங்களை நகட்ரிப்பு உடி இது அப்பு க உற்பத்தி துவக்காத தொழில்களுக்கு ஒரு?ண்டு கொல சிறப்பு ஆடிப்படுடையில்றற்கா விடைப் பத்தி இரண்டு முறை நீடிக்கப்பாடும்.

The period of PROVISIONAL REGISTRATION CAN BE EXTENDED UNDER VERY SPECIAL CIRCUMSTANCES, where inspite of all effects, the undertaking could not start production that unforeseen circumstances beyond its control, for a period of one year each two times.

- 8. மேலும் காலம் நீட்டிப்பு நேவைப்புகம் எனில் இவ்வினங்கள் அடிவிருத்தி ஆணையக் (இது கொழில்கள்) புதுடில்லி அவர்களுக்கு அனுப்பி வைக்கப்படும். Cases where any further extension is required would be referred to Development Compulsationer (இதே) Now Delhi.
- ம. தற்காலிகப் புதிவு காலவதியாகும் நாளுக்கு ஒருமாதத்திற்கு முண்பே, தொழில் அவங்குவதற்காக எடுக்கப்பட்ட நடவமக்காககள் பற்றி எப்பந்தப்பட்ட உரிய ஆவளாங்களுடன் நீடிப்பதுக்கு தொழில் நிறுவனம் விண்ணப்பிக்க வேண்டும்.
 "Boundestaking should apply for extension one month prior to the expiry of the cate of provisional blacking should apply for extension one month prior to the expiry of the cate of provisional blacking.

The undestaking should apply for extension one month prior to the expiry of the cate of provisional registration, along with details of steps taken with documentary proof to justify the extension. He request for extension will be sousideted if not applied in time.

- த். எனினும், தற்காலிகப் பறினின் காலம் நீட்டிப்பது உரின்ம எனக் கருதப்படாது. THE EXTENSION OF VALUSITY PERIOD OF PROVISIONAL REGISTRATION HOWEVER CANNOT BE TREATED AS MATTER OF RIGHT.
- 6. தொழில் நிறுவனம் அனுகுப்பதுற்குவீய அனைத்து வசதிகள் அஞுபதிக்கு பெறுவதற்கு உறவும் வகையில் தற்காளிகப் பநீவு வழங்கப்படுகிறது. எனினூப் நிறி உதவி இயத்திரங்கள் திறுவிட ஆரசின் வசதிகளின்படி அழுமைதி ஆன்குகோரம் பெறுதல் மாகுக்கட்டியுடையுட்டு வாளிய ஆணுகுதி மற்றும் சட்டப்படியான தடையங்கள் அனுமதி உளிமங்கள் மூழைவுதுக் தொழிலான டிகிகுக பானரே பெறுதல் வேண்டும்.

The provisional registration is granted to seable the undertaking to obtain all incilities/elearance for its setting. However the responsibility to obtain all nodes tary facilities/elearance viz. finance, accommodate tion, machinery, approval/permission, magnired under State Control Ruler & Warshaid from the constant Technical. Authority NOC describes these res Pollition Control Board and Locational clearance it will make other solely within, the undertaking.

ு. தற்காவிகப் பதிஷச் சாண்றிநட்டு விதெங்குப்பட்டவுடன் நிறுவனம் இதுரிக்க தொளிகுவதற்கு ஆனுகுகி பாகு நடைவடிக்கைகள் எடிக்கப்பட இவண்டும். தேலையையான வசதிகள் / அனுமைநிக்களுக்கு சம்பத்திசி பட்ட அறுவேலர்களுக்கு விள்ளைய்யிதே உடனராயாக இதாடர்பு கொள்ள கொண்டும்.

The undertaking will start taking effective steps to start the unit immediately afterized not the provisional registration cortificate and will approach apply to the concerned authorities for facilities/elearance registration.

6. தேவைவோன மூலப் பொருட்கள் இடைப்பதற்கு உத்தரவா தமின்றி இத்தற்கா சீகைப் படின் குளிக்கும் படும்றது. பொது மேலுகளிர், மாகூட்டத் தொழில் மையம் அல்லது இதற்கிகள் உள்ள அறு குறுக்கு புதித்து கைருடின்றி இப் பதினின் அடிப்பு டையில் உள் தாட்டில் கோடைக்கக் கடிட ! நக்கு நிரி பூசுவுப்போட்ட ஆழிப்படுத்தப்பட்ட/ மூலைப் பொருட்கள் / மூலைதனுப் இபாருட்கள் | உதிரி பாகதாகள் மூதனியேணைவை இடைக்காறு.

The provisional registration is granted to the undertaking without any guarance for availability of any required raw materials. Indigenous imported (canalised raw materials for evailability of any will are be available on the strongth of this registration without the species recommendations of the General Manager District Industries Centre or any other authority designated for this jurpose, unlight whereview provided for the policy/procedures of the concerned agencies.

TO HOMBATORE SO

இணை இயக்குநர் / திணை இயக்குநர் தொழில்கள் / உதலி இயக்குநர் தொழில்கள் / ஆய்வு அலுவலர் / பொது மேலாளர் (மாவட்டத் தொழில் மையம்) முத்தினை

Ede.

ル. Dysplon Pho Firegon Lodustries Distaldar Manager Photograph Orly TRE

25

Bakilandak ara kaci, aptempheno ingana a warakkho ncipa.

Was Called the only for purpose of Crueting wilesoquent Entention.

R. Butter upto hate. 50 60 ... com on to use to the or or

- 孤正各世 弘明 你不同

no doine or celearing of

eosGended, Geng Coursel (unacelek Genyld seenab) gekkes

Valid upud Gig. of CDA (DIG) Soul

The But But will the training and the training are the training and training an

图水形的重要形式源。

Enteresion granded our

enedultidad. Sun production (10x 011'the dear parties)

. Volla meto Sig. of Gild. (Tolet) (Total)

THE BELLE SEPARATE OF THE SECOND SECO

the descent and and on

wordwaloob, Com y Comercolo fineselle.h Gzeydd weneulj CABeer

Talid upto Sig. of G.M. (This) (Stal)

朝 国际部司 明神精神的红人

יות שונה ביש שנה לבות שונה ביש ביש ביש מיש מיש מיש מיש מיש ביש ביש מיש ביש מיש ביש ביש ביש ביש ביש ביש ביש ביש

福中海明為非為五面,


Transplant granted the

and committee of the first of the committee of the first of the committee of the committee

Takki upta Mg. of O.M. (DKG) (Bud) நாவட்டம்:- பல்டைம். வட்டம்:- பல்டைம்.

<u> भूग मण: 208. (</u>

த்ராமம் (அவர்: மோய்களியா வேயம். வைக்குடர் 3.



Harron: - 1: 2000.

I'M winy)

Aron - 4/94


TZ-A: PAPPA ATEL

والمعرورة بركا في المالاد والرو والمواور المرود 2-1 ms for 2 ms funcions on 5 ms 5 ms for for

K. No so sour soon

to war

	339.65 3.46 3.46 3.46 3.46 3.46 3.46 3.46 3.46
) od 3. b ó	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
	1500 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
1	C 2 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0



Park and the second sec		
	3.6.5	3 P. S.
	10 20 20 20 20 20 20 20 20 20 20 20 20 20	10 17 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
39 h 62	7 BAN (27)	3.46B
	60.6	3600 BB 300 CB 3
	5 - 3 - 3 - 5 - 5 - 5 - 5 - 5 - 5 - 5 -	PR PR
1	200000000000000000000000000000000000000	100 100 100 100 100 100 100 100 100 100

_

Jamil Nadr pollution Control Board District Environmental Engineer Cormbation South, E. SSTS 81DCO Endustrial Estate Pollechi Mainroad

Kurichi Combatore.

C. (GEBBBOO)

Borch Dism 6, 218, 255 Borch Strand 6, 218, 255 Drab Jame Ugonoriue, Canivativarami Buenis Beodin (9-12) BATONI - 645659

BEFORE THE HON'BLE NATIONAL GREEN TRIBUNAL SOUTHERN ZONE, CHENNAI.

Original Application No.190 of 2020 (SZ)

C. Palanisamy, Coimbatore

...Applicant(s)

Vs

Tamil Nadu Pollution Control Board, Chennai & Others.

....Respondent(s)

Joint Committee Report on M/s. Naveen Tex, Thottathu Salai 6th Street, Vagarayampalayam Village, Sulur Taluk, Coimbatore District as per the orders of the Hon'ble National Green Tribunal (SZ), Chennai in Original Application No. 190 of 2020 Dated: 05.10.2020

Advocate for Respondent: TNPCB Thiru. Kasirajan Advocate, Chennai.

Date: 10.02.2021

