



TAMIL NADU POLLUTION CONTROL BOARD

O/o. DISTRICT ENVIRONMENTAL ENGINEER, TNPCB, VIRUDHUNAGAR 175th
DISTRICT LEVEL CONSENT CLEARANCE COMMITTEE (DLCCC) MEETING
HELD ON 09.06.2020 AT 4.30 P.M.

Item No.	Name of the Industry and Address	Category and Classification	Order sought for	Decision of the Committee (Approved/ Not Approved)
175-1	M/s. Sree Palanichamy Modern Rice Mill, S.F.No. 882/5A, Ayyankolankondan 1 Village, Rajapalayam Taluk, Virudhunagar District	Orange- Small	CTO – Direct	Approved
175-2	M/s. Dhanya Speciality Hospital, S.F.No. 35 & 37, Rajapalayam Village, Rajapalayam Taluk, Virudhunagar District	Orange- Small	CTO – Direct	Approved
175-3	M/s. Sankaranarayana Rice Mill, S.F.No. 307/3E2, 307/3F2, 307/3G2, 308/1, 308/2, Chettiyarpatti Village, Rajapalayam Taluk, Virudhunagar District	ORANGE - Small	CTO – Direct	Approved
175-4	M/s. Joseph Specialty Hospital, S.F.No. T.S.NO. 1375/2AC1, 2C1, Srivilliputhur Town, Srivilliputhur Taluk, Virudhunagar District	ORANGE - Small	CTO – Direct	Approved
175-5	M/s. 346 Samy And Co Sizing And Weaving Mill, S.F.No. 279/2C(P), Chettiyarpatti Village, Rajapalayam Taluk, Virudhunagar District	ORANGE - Small	CTO – Direct	Approved
175-6	M/s. Sri Vinayaga Blue Metal, S.F.No. 58/2,58/3,67/2, Kallumadam Village, Aruppukottai Taluk, Virudhunagar District	ORANGE - Small	CTO – Direct (Product Change Amendment)	Approved
175-7	M/s. Chendur Arasu Minerals, S.F.No. 56/3,60/1,2,62/2A,2B, Puliyankulam Village, Virudhunagar Taluk, Virudhunagar District	ORANGE - Small	CTO – Direct (Name change and Product Change amendment)	Approved


The matter of issue of Auto Renewal Consent to the following units, who have already applied for renewal by remitting consent fee is placed before the committee for approval as per Chairman's Proc. No. TNPCB/P&D/031595/2014 dated 09/10/2014, Circular Memo No. P&D/16032/2010/ dated.29.10.2015.

Sl. No	Item No.	OCMMS NO	Subject	Category/ Type	Remarks
9	175-9	1028VDR	M/S. DHANUSHKODI HOSPITAL	ORANGE-Small	DLCCC decided to issue RCO.
10	175-10	0732VDR	M/s. THE MEENAMBAL MATCH FACTORY	ORANGE-Small	
11	175-11	1748VDR	M/s. LATHA NURSING HOME	ORANGE-Small	
12	175-12	1737VDR	M/s. NETHRA HOSPITAL	ORANGE-Small	
13	175-13	1985VDR	M/s. CHITRA AND CO	RED-Small	
14	175-14	1715VDR	M/s. RAJAM CLINIC	ORANGE-Small	
15	175-15	1799VDR	M/s. GNANADURAI HOSPITAL	ORANGE-Small	

The above units have remitted the consent fees and are eligible for Auto renewal as per the Board's Circular Memo dated: 29.10.2015.

Hence, it is placed in the DLCCC Meeting and issue of Renewal of consent may be considered subject to the following additional conditions.

1. This Renewal is issued based on the previous records furnished by the unit.
2. The consent is issued based on the list of products with quantity and effluent/emission generation sources with details furnished earlier. For any variation in the above, the unit has to file application seeking fresh consent of the Board.
3. The unit shall not use "use and throwaway plastics such as plastic sheets used for food wrapping, spreading on dining table, plastic plates, plastic coated tea cups, plastic tumbler, water pouches and packets ,plastic straw, plastic carry bag and plastic flags irrespective of thickness within the industry premises. Instead the unit shall encourage use of eco friendly alternatives such as banana leaf, areca nut palm plate, stainless steel, glass, porcelain plate/cups, cloth bag, jute bag etc.
4. The unit shall comply with the E-Waste Management Rules 2016. E-Waste as listed in Schedule-1, generated by them shall be channelized through collection centre or dealer of authorized producer or the dismantler or recycler or through designated take back service provider of the producer to authorized dismantler or recycler.


 District Environmental Engineer,
 TNPC Board, Virudhunagar.



TAMIL NADU POLLUTION CONTROL BOARD

**O/o. DISTRICT ENVIRONMENTAL ENGINEER, TNPCB, VIRUDHUNAGAR 176th
DISTRICT LEVEL CONSENT CLEARANCE COMMITTEE (DLCCC) MEETING
HELD ON 23.06.2020 AT 4.00 P.M.**

Item No.	Name of the Industry and Address	Category and Classification	Order sought for	Decision of the Committee (Approved/ Not Approved)
176-1	M/s. Enzymco Private Limited, S.F.No. 170/1, 170/2, 171/1C1, 171/1C2, 171/3B, Nattarmangalam Village, Virudhunagar Taluk, Virudhunagar District	Orange-Small	CTE – NEW	Approved
176-2	M/s. Top Anil Marketing Company, S.F.No. 135/8, 136/4, 6, 7A & 9, Kalkurichi Village, Kariapatti Taluk, Virudhunagar District	Orange-Small	CTO- EXPANSION	Approved
176-3	M/s. S Maheswari Rough Stone and Gravel Quarry, S.F.No. 1113/2B, 1113/2C, 1110/1C, Pudhukottai Village, Sivakasi Taluk, Virudhunagar District	RED - Small	CTO – Direct	Approved
176-4	M/s. Sri Amman Offset Printers, S.F.No.740/2 Part, Sivakasi Village, Sivakasi Taluk, Virudhunagar District	ORANGE - Small	CTO – Direct	Approved

The matter of issue of Auto Renewal Consent to the following units, who have already applied for renewal by remitting consent fee is placed before the committee for approval as per Chairman's Proc. No. TNPCB/P&D/031595/2014 dated 09/10/2014, Circular Memo No. P&D/16032/2010/ dated.29.10.2015.

Sl. No	Item No.	OCMMS NO	Subject	Category/ Type	Remarks
5	176-5	0976VDR	M/S. SUBBURAAJ COTTON MILL PVT LTD UNIT II	ORANGE-Large	DLCCC decided to issue RCO.
6	176-6	1493VDR	M/s. R. S. ORTHO HOSPITAL	ORANGE-Small	
7	176-7	0446VDR	M/s. KUMARAN HOSPITAL	ORANGE-Small	
8	176-8	1152VDR	M/s. MATHI CARDIAC CENTRE	ORANGE-Small	
9	176-9	1107VDR	M/s. J.K.PACKAGING INDUSTRIES	ORANGE-Small	
10	176-10	1094VDR	M/s. MARUTHI EXTRACTIONS	RED-Small	
11	176-11	0269VDR	M/s. MATHI INTEGRATED HEALTH CENTRE (P) LTD	ORANGE- Medium	

The above units have remitted the consent fees and are eligible for Auto renewal as per the Board's Circular Memo dated: 29.10.2015.

Hence, it is placed in the DLCCC Meeting and issue of Renewal of consent may be considered subject to the following additional conditions.

1. This Renewal is issued based on the previous records furnished by the unit.
2. The consent is issued based on the list of products with quantity and effluent/emission generation sources with details furnished earlier. For any variation in the above, the unit has to file application seeking fresh consent of the Board.
3. The unit shall not use "use and throwaway plastics such as plastic sheets used for food wrapping, spreading on dining table, plastic plates, plastic coated tea cups, plastic tumbler, water pouches and packets, plastic straw, plastic carry bag and plastic flags irrespective of thickness within the industry premises. Instead the unit shall encourage use of eco friendly alternatives such as banana leaf, areca nut palm plate, stainless steel, glass, porcelain plate/cups, cloth bag, jute bag etc.
4. The unit shall comply with the E-Waste Management Rules 2016. E-Waste as listed in Schedule-1, generated by them shall be channelized through collection centre or dealer of authorized producer or the dismantler or recycler or through designated take back service provider of the producer to authorized dismantler or recycler.

Om - 8.2.2020
District Environmental Engineer,
TNPC Board, Virudhunagar.