



**TAMIL NADU POLLUTION CONTROL BOARD, VIRUDHUNAGAR**  
**MINUTES OF THE 151th DISTRICT LEVEL CONSENT CLEARANCE MEETING**

O/o DISTRICT ENVIRONMENTAL ENGINEER,

TAMIL NADU POLLUTION CONTROL BOARD, VIRUDHUNAGAR ON 02.05.2019

Item No.	Name & Address of the Industry Messers	Applied For & Category, Classification & Type	GFA (Rs. lakhs)	Decision of the Meeting
151-1	M/s. Government Primary Health Centre, Survey No: 201/4,5,15, Uppathur, Sattur Taluk, Virudhunagar District.	CTO - Direct ORANGE - Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	60.0	Approved.
151-2	M/s. Government Primary Health Centre, Survey No: 1017,1020,1021/2A,2B Nenmeni, Sattur Taluk, Virudhunagar District.	CTO - Direct ORANGE - Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	55.0	Approved.
151-3	M/s. Government Primary Health Centre, Survey No: 90/2,91/2,91/5A,89/1 Surankudi, Sattur Taluk, Virudhunagar District.	CTO - Direct ORANGE - Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	60.0	Approved.
151-4	M/s. Government Primary Health Centre, Survey No: 267/2A2, 2B1 Nalli, Sattur Taluk, Virudhunagar District.	CTO - Direct ORANGE - Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	30.0	Approved.
151-5	M/s. Government Primary Health Centre, Survey No: 339 M. Pudupatti, Sivakasi Taluk, Virudhunagar District.	CTO - Direct ORANGE - Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	220.0	Approved.
151-6	M/s. Government Primary Health Centre, Survey No: 5161/A1, Maraneri, Sivakasi Taluk, Virudhunagar District.	CTO - Direct ORANGE - Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	38.0	Approved.
151-7	M/s. Government Primary Health Centre, Survey No: 312/11B, Naranapuram, Sivakasi Taluk, Virudhunagar District.	CTO - Direct ORANGE - Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	30.0	Approved.

151-8	M/s. Government Primary Health Centre, Survey No: 1276/6, Erichanatham (new), Sivakasi Taluk, Virudhunagar District.	CTO - Direct ORANGE - Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	90.0	Approved.
151-9	M/s. Government Primary Health Centre, Survey No: 101/1B, Vadamalapuram, Sivakasi Taluk, Virudhunagar District.	CTO - Direct ORANGE - Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	60.0	Approved.
151-10	M/s. Government Primary Health Centre, Survey No: 34, Krishnaperi, Sivakasi Taluk, Virudhunagar District.	CTO - Direct ORANGE - Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	62.0	Approved.
151-11	M/s. Government Primary Health Centre, Survey No: 30, Alamarathupatti, Sivakasi Taluk, Virudhunagar District.	CTO - Direct ORANGE - Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	60.0	Approved.
151-12	M/s. Government Primary Health Centre, Survey No: 47/1, Visvanatham, Sivakasi Taluk, Virudhunagar District.	CTO - Direct ORANGE - Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	70.0	Approved.
151-13	M/s. Government Primary Health Centre, Survey No: 733/1,5, Sithurajapuram, Sivakasi Taluk, Virudhunagar District.	CTO - Direct ORANGE - Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	58.0	Approved.
151-14	M/s. Government Primary Health Centre, Survey No: 337/6A2,337/A/4,346/2,3,4, Thayilpatti, Sivakasi Taluk, Virudhunagar District.	CTO - Direct ORANGE - Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	240.0	Approved.
151-15	M/s. Government Primary Health Centre, Survey No: 147/1A1, Elayirampanna, Vembakottai Taluk, Virudhunagar District.	CTO - Direct ORANGE - Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	12.0	Approved.
151-16	M/s. Government Primary Health Centre, Survey No: 69/2, Sevalpatti, Cembakottai Taluk, Virudhunagar District.	CTO - Direct ORANGE - Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	50.0	Approved.

151-17	M/s. Government Primary Health Centre, Survey No: 150/2A,194/1, <b>B</b> Zaminkollankondan, Rajapalayam Taluk, Virudhunagar District.	CTO - Direct ORANGE - Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	78.0	Approved.
<del>151-18</del>	<del>M/s. Government Primary Health Centre, Survey No: 156/2A1,2A2,3A1,3A2,3A3,3A4, Chokanathanputhur, Rajapalayam Taluk, Virudhunagar District.</del>	<del>CTO - Direct ORANGE - Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD</del>	<del>27.0</del>	<del>Approved.</del>
151-19	M/s. Government Primary Health Centre, Survey No: 363/1, Seithur, Rajapalayam Taluk, Virudhunagar District.	CTO - Direct ORANGE - Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	85.0	Approved.
151-20	M/s. Government Primary Health Centre, Survey No: 1058,1049/1,1104/2,1103/3,1104/1 1,1103/13,1104/ Chatrapatti, Rajapalayam Taluk, Virudhunagar District.	CTO - Direct ORANGE - Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	65.0	Approved.
151-21	M/s. Government Primary Health Centre, Survey No: 76/AB,76/BE,90/2,90/3,72/2A, Kilavikulam, Rajapalayam Taluk, Virudhunagar District.	CTO - Direct ORANGE - Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	85.0	Approved.
151-22	M/s. Government Primary Health Centre, Survey No: 63/2C, Dhalavaipuram, Rajapalayam Taluk, Virudhunagar District.	CTO - Direct ORANGE - Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	55.0	Approved.
151-23	M/s. Government Primary Health Centre, Survey No: 516/3A1, Meenatchipuram, Rajapalayam Taluk, Virudhunagar District.	CTO - Direct ORANGE - Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	65.0	Approved.

151-24	M/s. Government Primary Health Centre, Survey No: 1104/1,1104/2B,1104/3B,1104, R. Rediapatti, Rajapalayam Taluk, Virudhunagar District.	CTO - Direct ORANGE - Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	465.0	Approved.
151-25	M/s. Government Primary Health Centre, Survey No: 108/4,108/5, T. Managaseri, Srivilliputhur Taluk, Virudhunagar District.	CTO - Direct ORANGE - Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	75.0	Approved.
151-26	M/s. Government Primary Health Centre, Survey No: 125/A, Mamsapuram, Srivilliputhur Taluk, Virudhunagar District.	CTO - Direct ORANGE - Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	108.0	Approved.
151-27	M/s. Government Primary Health Centre, Survey No: 104/2, Vanniampatti, Srivilliputhur Taluk, Virudhunagar District.	CTO - Direct ORANGE - Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	55.0	Approved.
151-28	M/s. Government Primary Health Centre, Survey No: 748/37, Kunnur, Srivilliputhur Taluk, Virudhunagar District.	CTO - Direct ORANGE - Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	100.0	Approved.
151-29	M/s. Government Primary Health Centre, Survey No: 42/1,2,45,43,44/1,2, Nathampatti, Srivilliputhur Taluk, Virudhunagar District.	CTO - Direct ORANGE - Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	90.0	Approved.
151-30	M/s. Government Primary Health Centre, Survey No: 1574/36, W. Pudupatti, Srivilliputhur Taluk, Virudhunagar District.	CTO - Direct ORANGE - Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	90.0	Approved.
151-31	M/s. Government Primary Health Centre, Survey No: 240/8B1, Kottaiyur, Srivilliputhur Taluk, Virudhunagar District.	CTO - Direct ORANGE - Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	90.0	Approved.

151-32	M/s. Urban Public Health Centre, Survey No: TS. No: 28, Sivakasi Taluk, Virudhunagar District.	CTO - Direct ORANGE - Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	40.0	Approved.
151-33	M/s. Urban Public Health Centre, Survey No: T.S. No: 288, Sattur Taluk, Virudhunagar District.	CTO - Direct ORANGE - Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	18.0	Approved.
151-34	M/s. Urban Public Health Centre, Survey No: T.S. No: 735/4, Srivilliputhur Taluk, Virudhunagar District.	CTO - Direct ORANGE - Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	55.0	Approved.
151-35	M/s. Urban Public Health Centre, Survey No: T.S. No: 6, Madasamy Koil Street, Rajapalayam Taluk, Virudhunagar District.	CTO - Direct ORANGE - Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	70.0	Approved.
151-36	M/s. Urban Public Health Centre, Survey No: T.S. No: 120121, T.P. Mills Road, Rajapalayam Taluk, Virudhunagar District.	CTO - Direct ORANGE - Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	105.0	Approved.
151-37	M/s. Government Primary Health Centre, Survey No: 85-1-B,85-2,85-3,85-4, Kanniseripudur, Rajapalayam Taluk, Virudhunagar District.	CTO - Direct ORANGE - Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	200.0	Approved.
151-38	M/s. Government Primary Health Centre, Survey No: 717.1,A2,717.1.B, Amathur, Virudhunagar Taluk, Virudhunagar District.	CTO - Direct ORANGE - Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	100.0	Approved.
151-39	M/s. Government Primary Health Centre, Survey No: 113.1B,113.1C,113.2B,113.2A2,114. 5B,114.6B,114.7B,114.8A,114.8B, Avudaiyapuram, Virudhunagar Taluk, Virudhunagar District.	CTO - Direct ORANGE - Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	80.0	Approved.
151-40	M/s. Government Primary Health Centre, Survey No: 87.10A, Alagapuri, Virudhunagar Taluk, Virudhunagar District.	CTO - Direct ORANGE - Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	70.0	Approved.

151-41	M/s. Government Primary Health Centre, Survey No: 435.1A2, Senkundrapuram, Virudhunagar Taluk, Virudhunagar District.	CTO - Direct ORANGE - Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	70.0	Approved.
151-42	M/s. Government Primary Health Centre, Survey No: 321,2A1,319,2A382, Mallankinar, Kariapatti Taluk, Virudhunagar District.	CTO - Direct ORANGE - Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	170.0	Approved.
151-43	M/s. Government Primary Health Centre, Survey No: 132.5, Kalkuruchi, Kariapatti Taluk, Virudhunagar District.	CTO - Direct ORANGE - Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	52.0	Approved.
151-44	M/s. Government Primary Health Centre, Survey No: 278.66,278.67, Mustakurichi, Kariapatti Taluk, Virudhunagar District.	CTO - Direct ORANGE - Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	80.0	Approved.
151-45	M/s. Government Primary Health Centre, Survey No: 171.1A1, Mudukkankulam, Kariapatti Taluk, Virudhunagar District.	CTO - Direct ORANGE - Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	60.0	Approved.
151-46	M/s. Government Primary Health Centre, Survey No: 535.6,538.4,538.6,538.5,538.7,538.8 Narikudi, Narikudi Taluk, Virudhunagar District.	CTO - Direct ORANGE - Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	200.2	Approved.
151-47	M/s. Government Primary Health Centre, Survey No: 222.4,222.5,222.7,222.8,222.9 part,222.11part, Veeracholan, Tiruchuli Taluk, Virudhunagar District.	CTO - Direct ORANGE - Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	120.20	Approved.
151-48	M/s. Government Primary Health Centre, Survey No: 95.1,96.1, A.Mukkulam, Narikudi Taluk, Virudhunagar District.	CTO - Direct ORANGE - Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	100.0	Approved.
151-49	M/s. Government Primary Health Centre, Survey No: 208.4B1,210.3C,210.4C,209.1B, Kattanur, Narikudi Taluk, Virudhunagar District.	CTO - Direct ORANGE - Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	80.1	Approved.

151-50	M/s. Government Primary Health Centre, Survey No: 171.1,174.2,174.3,174.4,174.5,174.6 M.Reddiapatti, Aruppukottai Taluk, Virudhunagar District.	CTO - Direct ORANGE - Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	170.0	Approved.
151-51	M/s. Government Primary Health Centre, Survey No: 440.36,440.37,440.38, Paralatchi, Aruppukottai Taluk, Virudhunagar District.	CTO - Direct ORANGE - Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	110.0	Approved.
151-52	M/s. Government Primary Health Centre, Survey No: 91.4,91.2, Kalloorani, Tiruchuli Taluk, Virudhunagar District.	CTO - Direct ORANGE - Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	80.0	Approved.
151-53	M/s. Government Primary Health Centre, Survey No: 130.4,130.1, Pandalgudi, Aruppukottai Taluk, Virudhunagar District.	CTO - Direct ORANGE - Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	150.0	Approved.
151-54	M/s. Government Primary Health Centre, Survey No: 228.8,227.9C,220.6,227.10,228.1B,2 28.2B,228.7B,228.1,245.2,228.9, Gopalapuram, Aruppukottai Taluk, Virudhunagar District.	CTO - Direct ORANGE - Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	120.0	Approved.
151-55	M/s. Government Primary Health Centre, Survey No:129.1B,129.5B,130.1,130.10,130. 11A,130.2,130.4,130.5,130.6,130.7,1 30.8,130.9	CTO - Direct ORANGE - Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD		Approved.
151-56	M/s. Government Primary Health Centre, Survey No: 5.2, Palavanatham, Aruppukottai Taluk, Virudhunagar District.	CTO - Direct ORANGE - Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	60.0	Approved.
151-57	M/s. Urban Public Health Centre, Survey No: 789, Virudhunagar Taluk, Virudhunagar District.	CTO - Direct ORANGE - Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	100.00	Approved.
151-58	M/s. Urban Public Health Centre, Survey No: 6/1A, Aruppukottai Taluk, Virudhunagar District.	CTO - Direct ORANGE - Small 2085-Health-care Establishment (as defined in BMW Rules) without Incinerator and having total waste water generation less than 100 KLD	90.0	Approved.

AE/VNR

AEE/VNR

DEE / VNR