

July

2023

**Executive Summary for Conducting Public Hearing
FOR**

**“Thiru. R Arockiya Raj Rough Stone and Gravel
Quarry over a total extent of 1.68.0 Ha”**

At

**S.F.Nos. 210/7A of Melur Village, Kulathur Taluk of
Pudukkottai District, Tamil Nadu**

Project Proponent:

**Thiru.R Arockiya Raj
S/o Rethinam Pillai,
No.297/7, Sathiyamoorthy Nagar,
Pudukkottai-622 001**

Project termed under schedule 1(a) Category B₁

Prepared By:

Ecotech Labs Pvt. Ltd.



NABET Accredited EIA Consultant

**48, 2nd Main Road, Ram Nagar South Extension,
Pallikaranai, Chennai -600100**

EXECUTIVE SUMMARY

1. Project Background:

The Rough Stone and Gravel Quarry over an extent of 1.68.0 Ha, Own Patta land S.F. No: 210/7A of Melur Village, Kulathur Taluk, Pudukkottai District. The category of the project is B1 (cluster), the lease area exhibits plain terrain covered by massive charnockite rough stone formation.

The quarry operation is proposed to carry out with conventional open cast mechanized mining with 5.0-meter vertical bench with a bench width of 5.0meter. The Quarry operation involves shallow jack hammer drilling, slurry blasting, loading and transportation.

The quarry operation is proposed up to depth for 17.0m (Max) (Topsoil 2.0m & Rough stone 15.0m). The Total Geological reserve is about 10,87,125 m³ of Rough stone & 33,450 m³ Gravel up to a depth of 67.0m (2.0m Gravel & 65m Rough stone). The Mineable Reserves is computed as 1,94,280 m³ of Rough stone and 24,312 m³ of Gravel formation at the rate of 100% recovery upto a depth of 42.0m(Max) (2.0m Gravel & 40m Rough stone). The recoverable reserves is 1,03,570 m³ (17,261 Lorry Loads) of Rough stone & 24,312 m³ (4,052 Lorry Loads) Gravel up to a depth of 17.0m(Max) (2.0m Gravel and 15m Rough stone) for the period of (Five) 5 Years.

The mining plan was approved by Geology and Mining department of Pudukkottai district letter vide Rc.No.677/2021 (G&M) dated: 02.06.2022 from the date of execution lease dead. The project area does not fall in Hill Area Conservation Authority region. There is no interstate boundaries, CRZ zone, Western Ghats, notified Bird sanctuaries, wildlife sanctuaries as per Wildlife protection Act 1972, within the radius of 15Km.

2. Nature & Size of the Project

The New Rough Stone and Gravel Quarry over an extent of 1.68.0 Hectares land is located Melur Village of Kulathur Taluk, Pudukkottai District.

Mineral intends to quarry : Rough stone and Gravel.
District : Pudukkottai
Taluk : Kulathur
Village : Melur
S. F. Nos. : 210/7A
Extent : 1.68.0 Hectares

Table 1: Brief Description of the Project

S. No	Particulars	Details
1	Latitude	10°26'40.50"N to 10°26'48.54"N
2	Longitude	78°45'55.90"E to 78°46'00.42"E
3	Site Elevation above MSL	114.0m above MSL.
4	Topography	Plain terrain
5	Land use of the site	Patta land
6	Extent of lease area	1.68.0 Ha
7	Nearest highway	SH 71 – Musiri - Kulithalai - Pudukkottai - Alangudy - Paeravorani - Sethubavachathiram Road -2.8 km - SW NH 336 – Pudukkottai to Trichy – 2 Km - E
8	Nearest railway station	Pudukkottai Railway Station – 9 Km – SE
9	Nearest airport	Tiruchirappalli International Airport – 35.44 Km - N
10	Nearest town / city	Town - Vellanur – 3.5 Km – NE City - Pudukkottai – 7.82 Km - SE District - Pudukkottai – 7.82 Km - SE
11	Rivers / Canal	Nil within 15km radius
12	Lake/Pond	❖ Vellanur local Pond – 1.64 Km - E ❖ Thiruvengainathar Lake – 3.4 Km – S ❖ Kili Kulam – 2.61 Km – NE ❖ Temple Pond – 2 Km – W ❖ Perunjunai Lake – 2.4 Km – SW ❖ Melakulam – 4 Km – SW ❖ Kavinadu Kanmai – 7.27 Km – S ❖ Annavasal Periyakulam Lake – 8.23 Km – NW

		❖ Vellar river – 10.35 Km – S
13	Hills / valleys	Nil in 15 km radius
14	Archaeologically places	<ul style="list-style-type: none"> ❖ Sundaesvara temple with sub-shrine, Thirukkattalai – 7.9Km – SE ❖ Jain image and the inscription to the south of it on the summit of the sadayapparai, Nathampannai – 4.3km – S ❖ Cave & Jain image, Ammachathiram – 8.41km – N ❖ Jain image, Annavasal – 8 km – W ❖ Siva temple. Ariyur – 4.2 km – SW ❖ Siva and Pillayar temple, Mangudi – 7 km – SW ❖ Jain Tirthankara idol and relics of old Jain Temple – 1.9km – N ❖ Amman koil, Rock-cut Siva temple, Vijayalaya Cholisvaram and the group of subshrines around it, Rock-cut Vishnu shrine – Narthamalai – 6.96 km – N ❖ Rock-cut Jain temple, Natural Cavern with stone beds – Eladipattam – Sittannavasal – 3.6 km – W ❖ Siva Temple, Thodaiyur – 6.9 km – NE <p>Kailasanatha temple, Agastisvara temple – Vellanur – 3.1 km – E</p>
15	National parks / Wildlife Sanctuaries	Nil in 15 km radius
16	Reserved / Protected Forests	<ul style="list-style-type: none"> ❖ Narthamalai Reserve Forest – 6 Km – N ❖ Pudukkottai Reserve Forest – 7 km, SE ❖ Aladukkadu RF – 9.2 Km – N ❖ Perungudipatti RF – 9.3Km – NW
17	Seismicity	Proposed Lease area come under Seismic zone-II (Moderate risk area)

3. Need for the Project

- ❖ The mining activities as proposed are the backbone of all construction and infrastructure projects as the raw material for construction is available only from such mining. The Rough stone extracted will be transported to be Stone crusher of district Pudukkottai.
- ❖ The raw Rough stone as well as the crushed material of stone is in high demand in real estate, construction projects as well as in building construction projects.
- ❖ Rough stone is quarried for producing crusher aggregates to the nearby building contractors, road contractors and nearby villagers.
- ❖ After quarrying the entire reserves mined out, the area will be used as water reservoir to have an artificial recharge to the nearby wells.
- ❖ No damage to the land is caused, no reclamation or back filling is required.



Figure 1: Location Map of the Project Site



Figure 2: Google Image of the Project Site

4. Charnockite

Generally, the Charnockite is grey to greenish colored, coarse to medium grained, greasy nature with or without garnet. Because of the limited outcrops, the quarry sections are studied to infer the various interrelationships between the litho units. Charnockite is interbanded nature with crystalline carbonate rocks are observed in most of the quarry in the areas of Kunnandavarkoil, Thirumayam, Kulathur, Weathering of the Charnockite on the surface gives a deceptive look of gneiss and in the quarry sections at depth the fresh charnockite is exposed, which are well exemplified in almost all the Charnockite quarry sections.

5. Geological Resources

The geological reserves have been calculated based on the cross-section method

Table 2. Geological resources

Geological Resources						
Section	Length in (m)	Width in (m)	Depth in (m)	Volume m ³	Geological Resources of Gravel in m ³	Geological Resources of Rough stone in m ³
XY-AB	113	105	2	23730	23730	
	113	105	65	771225		771225
XY-CD	108	45	2	9720	9720	
	108	45	65	315900		315900
Total					33450	1087125

Table 2.1 Mineable Resources

Mineable Reserves							
Section	Bench	Length in (m)	Width in (m)	Depth in (m)	Volume in m ³	Gravel Formation in m ³	Mineable Reserves of Rough stone in m ³
XY-AB	114-112	106	88	2	18656	18656	
	112-107	104	84	5	43680		43680
	107-102	99	74	5	36630		36630
	102-97	94	64	5	30080		30080
	97-92	89	54	5	24030		24030
	92-87	79	44	5	17380		17380
	87-82	69	34	5	11730		11730
	82-77	59	24	5	7080		7080
	77-72	49	14	5	3430		3430
Total						18656	174040
XY-CD	114-112	101	28	2	5656	5656	
	112-107	99	24	5	11880		11880

	107-102	94	14	5	6580		6580
	102-97	89	4	5	1780		1780
Total						5656	20240
Grand Total						24312	194280

Table 3. Year wise Production Plan

Yearwise Development & Production Reserves								
Year	Section	Bench	Length in (m)	Width in (m)	Depth in (m)	Volume in m ³	Gravel Formation in m ³	Recoverable Reserves of Rough stone in m ³
I	XY-AB	114-112	50	88	2	8800	8800	
		112-107	48	84	5	20160		20160
TOTAL							8800	20160
II	XY-AB	114-112	48	88	2	8448	8448	
		112-107	48	84	5	20160		20160
TOTAL							8448	20160
III	XY-AB	114-112	8	88	2	1408	1408	
		112-107	8	84	5	3360		3360
	XY-CD	114-112	101	28	2	5656	5656	
		112-107	99	24	5	11880		11880
		107-102	94	14	5	6580		6580
TOTAL							7064	21820
IV	XY-AB	107-102	55	74	5	20350		20350
TOTAL								20350
V	XY-AB	107-102	44	74	5	16280		16280
		102-97	15	64	5	4800		4800
TOTAL								21080
GRAND TOTAL							24312	103570

6. Mining

Opencast mining

The quarry operation is proposed to carry out with conventional open cast mechanized mining with 5.0meter vertical bench with a bench width of 5.0 meter. The Quarry operation involves shallow jack hammer drilling, slurry blasting, loading and transportation.

Process Description

- The reserves and resource are arrived based upon the Geological investigation.
- Removal of Topsoil by Excavators and directly Loaded into Tippers.
- Removal of Rough Stone by Excavators by Drilling and Blasting.
- Shallow Drilling With Jackhammer of 25.5mm Dia.
- Minimum Blasting With Class 3 Explosives.
- Loading of Rough Stone By Excavators Into Tippers.

7. Water Requirement

Total water requirement for the mining project is 2.5 KLD. Domestic water will be sourced from nearby Melur Village and other water will be source from nearby road tankers supply.

Table 4. Water Balance

Purpose	Quantity	Source
Drinking Water	1.5 KLD	Water will be supplied through tankers from Melur village which is about 0.33 Km NE of the project area.
Green belt	0.5 KLD	Other domestic activities through road tankers supply.
Dust suppression	0.5 KLD	From road tankers supply.
Total	2.5 KLD	

8. Manpower

Total manpower required for the project is approximately 27 persons. Workers will be from nearby villages.

Table 5. Man Power

1.	Skilled	Operators- Excavator & Jackhammer	4 Nos
2.	Semi – skilled	Drivers	4 Nos

3.	Unskilled	Musdoor/Labours, Cleaners & Watch man	15 Nos
4.	Management & Supervisory staff	Second Class Mines Manager (with valid statutory qualification)	1 No
		Mines Foreman (with valid statutory qualification)	1 No
		Mines Mate (with valid statutory qualification)	1 No
		Blaster	1 No
Total			27 Nos

No child less than 18 years will be entertained during quarrying operations.

9. Solid Waste Management

Table 6 Solid Waste Management

S. No	Type	Quantity	Disposal Method
1	Organic	4.86 kg/day	Municipal bin including food waste
2	Inorganic	7.29 kg/day	TNPCB authorized recyclers

As per CPCB guidelines: MSW per capita/day =0.45 kg/day

Table 7 500m Radius Cluster Mine

1) Existing other quarries:

S. No.	Name of the lessee / Permit Holder	Village & Taluk	S. F. No.	Extent	Lease Period
1.	Thiru M Velu, S/o Muthiah, Echanari Thottaivayal, Melur, Sathyamangalam Post, Kulathur Taluk, Pudukkottai District	Melur & Kulathur	207/14B, 207/15A	0.65.5	28.06.2017 to 27.06.2022
2.	Thiru R Natesan, S/o Rengasamy, No.715A, Narkkeerar Vayal, Sathiamangalam Post, Pudukkottai District	Melur & Kulathur	216/1	1.47.5	12.09.2017 to 11.09.2022

3.	M/s. Sai Hridham Infraa Private Limited, 14/28, Sowrastra Street, Illuppur taluk, Pudukkottai Dt.	Melur & Kulathur	207/21B, 2/07/22B2, 207/23	1.30.5	31.07.2019 to 30.07.2024
4.	Thiru Jayaraj S/o S.K.Rengarajan, No.3/659 of Melmuthudaiyanpatti Village, Vellanur Post, Kulathur Taluk, Pudukkottai District	Melur & Kulathur	40/5B, 40/6B, 40/7A, 40/8A, 40/9A, 40/1B2, 40/11A	0.81.0	29.06.2018 to 28.06.2023
5.	Thiru V Ravichandran S/o R Visvanathan, Plot No.82, Pudhunagar 2 nd street, Machuvadi, Pudukkottai District.	Melur & Kulathur	207/18,207/29	1.27.5	28.07.2017 to 27.07.2022
6.	Thiru M Rajamohamed, S/o Mohamed Ibrahim No.9884, Kalif Nagar, 4 th Street, Pudukkottai	Melur & Kulathur	216/21A1, 216/22B	1.30.5	31.07.2019 to 30.07.2024
7.	Thiru Ramesh Babu S/o Jayaraman, T.S.No.7166/2 of Maharajapuram, Thirukokarnam, Pudukkottai District	Melur & Kulathur	210/19, 210/9B1B	1.50.5	06.11.2019 to 05.11.2024

2) Proposed Area:

S. No.	Name of the applicant	Village & Taluk	S. F. No.	Extent
1.	Thiru.R Arockiya Raj S/o Rethinam Pillai, No.297/7, Sathiyamoorthy Nagar, Pudukkottai	Melur & Kulathur	210/7A	1.68.0
2.	Thiru.R.Muthusamy, S/o. Rengasamy, No.663, Melamuthudaiyanpatti village, Kulathur Taluk, Pudukkottai Dt	Melur & Kulathur	80/20, 80/21 & 80/22	0.82.0

3	Tvl. Sai Hridham Infraa Private Limited, office at 208/6, Muthudaiyanpatti, Melur Village, Kulathur Tk, Pudukottai Dt.	Melur & Kulathur	80/3,4,5,6,17 & 19	1.68.0
4	Tvl. Sai Hridham Infraa Private Limited, office at 208/6, Muthudaiyanpatti, Melur Village, Kulathur Tk, Pudukottai Dt.	Melur & Kulathur	207/10B2,	0.51.5
5	Tvl. Sai Hridham Infraa Private Limited, office at 208/6, Muthudaiyanpatti, Melur Village, Kulathur Tk, Pudukottai Dt.	Melur & Kulathur	207/12, 207/16, 207/14A1	3.38.5
6	Tvl. Sai Hridham Infraa Private Limited, office at 208/6, Muthudaiyanpatti, Melur Village, Kulathur Tk, Pudukottai Dt.	Melur & Kulathur	207/12, 207/16, 207/14A1	2.52.0

3) Lease Expired:

S. No.	Name of the lessee/ Permit Holder	Village & Taluk	S. F. No.	Extent	Lease Period
1.	Thiru.S.M.Sait, 59, Charles Nagar, Pudukottai	Melur & Kulathur	216/22A	0.40.5	27.11.2013 to 26.11.2018
2.	S Ganesan S/o Subramaniyan	Melur & Kulathur	207/13A1, 13B, 24,25A,28A	2.63.5	17.06.2009 to 16.06.2014
3.	Thiru.A.Periyasamy, S/O. Adaikalam, T.S.No. 6985, Thirukoharnam, Pudukottai	Melur & Kulathur	216/15B	0.75.0	19.02.2016 to 18.02.2021
4.	Thiru.R.Muthusamy, S/o. Rengasamy,	Melur & Kulathur	216/5 & etc.,	0.93.5	23.09.2016 to 22.09.2021

	Melur, Sathiyamangalam Post, Kulathur Tk, Pudukottai Dt.				
5.	S.M.Sait, S/o.Mookaiah, Solahar, No.51,52, Charles nagar, Pudukottai	Melur & Kulathur	207/8	0.50.0	20.01.2017 to 19.01.2022
6.	G Anthonisamy S/o Gnanampillai, Plat No.321, Periyarnagar, Pudukkottai	Melur & Kulathur	40/1, 40/2	0.36.0	03.04.2009 to 02.04.2014
7.	P.Sannasi S/o Poovan Melur, Kulathur taluk	Melur Kulathur	207/20	1.01.0	01.03.2007 to 28.02.2012

The Total extent of the Existing / Lease expired / Proposed quarries are 19.84.0 Ha.

10. Land Requirement

The total extent area of the project is 1.68.0 Ha, Own Patta land in Melur Village of Kulathur Taluk, Pudukkottai District.

Table 8 Land Use Breakup

S. No.	Land Use	Present Area (Hect)	Area in use during the quarrying period (Hect)
1.	Quarrying Pit	Nil	1.11.0
2.	Infrastructure	Nil	0.02.0
3.	Roads	Nil	0.02.0
4.	Green Belt	Nil	0.25.0
5.	Unutilized Area	1.68.0	0.28.0
	Total	1.68.0	1.68.0

11. Human Settlement

There are no habitations within 500m radius. There are villages located in this area within 5km radius of the quarry.

Table 9 Habitation

S.No	Name of the Village	Approximate Distance	Direction From Lease Applied Area	Approximate Habitations
1.	Melur	1.6km	North-East	218
2.	Sittannaval	3.9km	North - West	292
3.	Maruthanthalai	0.8 Km	South - West	274
4.	Thiruvengaval	2.6 Km	South - East	165

12. Power Requirement

The Rough Stone and Gravel Quarry project does not require huge water and electricity for the project.

16 Litre diesel per hour for excavator for mining and loading for Rough stone needed.

13. Scope of the Baseline Study

This chapter contains information on existing environmental scenario on the following parameters.

1. Micro – Meteorology
2. Water Environment
3. Air Environment
4. Noise Environment
5. Soil / Land Environment
6. Biological Environment
7. Socio-economic Environment

13.1 Micro - Meteorology

Meteorology plays a vital role in affecting the dispersion of pollutants, once discharged into the atmosphere. Since meteorological factors show wide fluctuations with time, meaningful interpretation can be drawn only from long-term reliable data.

- i) Average Minimum Temperature : 33.7 °C
- ii) Average Maximum Temperature. : 24 °C
- iii) Average Annual Rainfall of the area : 922.8 mm

13.2 Air Environment

Ambient air monitoring was carried out on monthly basis in the surrounding areas of the Mine Lease area to assess the ambient air quality at the source. To know the ambient air quality at a larger distance i.e., in the study area of 5 km. radius, air quality survey has been conducted at 5 locations. Major air pollutants like Particulate Matter (PM₁₀), Sulphur Dioxide (SO₂), Nitrogen Dioxide (NO₂) were monitored and the results are summarized below.

The baseline levels of PM₁₀ (60 – 34 µg/m³), PM_{2.5} (32 - 14 µg/m³), SO₂ (21 – 5 µg/m³), NO₂ (42 -9 µg/m³), all the parameters are well within the standards prescribed by National Ambient Air Quality during the study period from January to March 2023.

13.3 Noise Environment

Ambient noise levels were measured at 5 locations around the proposed project site. The maximum Day noise and Night noise were found to be 64 dB(A) and 50 dB(A) respectively in Government High School, Mangudi. The minimum Day Noise and Night noise were 55 dB(A) and 43 dB(A) respectively which was observed in Project Site.

13.4 Water Environment

- The average pH ranges from 6.29 - 7.91.
- TDS value varied from 369 mg/l to 935 mg/l
- Hardness varied from 129 to 346 mg/l
- Chloride varied from 81.8 to 254 mg/l

13.5 Land Environment

The analysis results shows that the majority of soil in the project and surrounding area is slightly alkaline in nature and pH value ranges from 5.58 to 8.61 with organic matter 1.02 % to 1.45 %. The concentration of Nitrogen, Phosphorus & Potassium has been found to be in good amount in the soil samples.

13.6 Biological Environment

The proposed Mining lease area is mostly dry barren ground with small shrubs and bushes. No specific endangered flora & fauna exist within the mining lease area.

14. Rehabilitation/ Resettlement

- The overall land of the mine is private patta land. There are no displacement of the population within the project area and adjacent nearby area. Social development of nearby villages will be considered in this project.
- The mine area does not cover any habitation. Hence the mining activity does not involve any displacement of human settlement.

15. Greenbelt Development

1. The development of greenbelt in the peripheral buffer zone of the mine area.
2. Green belt has been recommended as one of the major component of Environmental Management Plan, which will improve ecology, environment and quality of the surrounding area.
3. Local trees like Neem, Pungam, Naval etc will be planted along the lease boundary and avenues as well as over Non-active dumps at a rate of 300 trees per annum with interval 5m.
4. The rate of survival expected to be 80% in this area

Table.10 Plantation/ Afforestation Program

Year	Name of species	Place of planted	No of species	Spacing	Survival
2023	Neem, Pungam, Poovarasu	North	300	5m	80%
2024	Naval, Mantharai, Arasa Maram	South	300	5m	80%
2025	Magizham, Vilvam, Vaagai, Marudha maram	East	300	5m	80%
2026	Usil, Aaththi, Panai	South	300	5m	80%
2027	Illuppai, Eachai, Vanni maram	West	300	5m	80%
Total			1500		

16. Anticipated Environmental Impacts

16.1 Air Environment and Mitigation Measures

1. Water sprinkling will be done on the roads & unpaved roads.
2. Proper mitigation measures like water sprinkling will be adopted to control dust emissions.

3. Plantation will be carried out on approach roads, solid waste site & nearby mine premises.
4. To control the emissions regular preventive maintenance of equipments will be carried out.

16.2 Noise Environment and Mitigation Measures

1. Periodical monitoring of ambient noise will be done as per CPCB guidelines.
2. No other equipment except the transportation vehicles and excavator for loading will be allowed.
3. Noise generated by these equipments shall be intermittent and does not cause much adverse impact

17. Responsibilities for Environmental Management Cell (EMC)

The responsibilities of the EMC include the following:

- i. Environmental Monitoring of the surrounding area
- ii. Developing the green belt/Plantation
- iii. Ensuring minimal use of water
- iv. Proper implementation of pollution control measures

18. Environmental Monitoring Program

A monitoring schedule with respect to Ambient Air Quality, Water & Wastewater Quality, Noise Quality as per Tamil Nadu State Pollution Control Board (TNPCB), shall be maintained.

19. Project Cost

The total project cost is **Rs. 43,94,000/-** for deployment of machinery and creation of infrastructural facilities like approach road, Mine office / Workers Shed, First Aid Room etc., including electrifications and water supply.

Table .11 Project Cost details

S. No.	Description	Cost
1	Fixed Asset cost	18,94,000

2	Expenditure Cost	25,00,000
	Total	43,94,000

Environmental Management Plan Cost – 18,08,000/-

20. Corporate Environmental Responsibility

The Corporate Environment Responsibility (CER) fund will be provided to the below activity.

Table 12 CER Cost

S.No.	CER Activity	CER Cost (Rs.)
1.	Government Panchayat Union Middle School – Provision of <ul style="list-style-type: none"> ➤ Levelling the floor inside the school perimeter by using Earth materials, ➤ Environmental books for library (in Tamil language), ➤ Greenbelt facilities and ➤ Basic amenities such as safe drinking water, furniture, Hygienic Toilet and maintenance of toilet upto lease period. 	5,00,000

21. Benefits of the Project

- There is positive impact on socio-economics of people living in the villages. Mining operations in the subject area has positive impact by providing direct and indirect jobs opportunities.
- The project is environmentally compatible, financially viable and would be in the interest of construction industry thereby indirectly benefiting the masses.
- Quarrying in this area is not going to have any negative impact on the social or cultural life of the villagers in the near vicinity.