

| Air Quality Index, Salem, June 2018 | | | | Air Quality Index, Mettur, June 2018 | | | | | | | |
|--|-------------------------|------------|----------------|---|-------------------------|------------|----------------|-------------------------|-------------------------|------------|----------------|
| Sowdeswari College Building - 309 | | | | Raman Nagar - 762 | | | | Sidco - 763 | | | |
| Type: Mixed | | | | Type: Residential | | | | Type: Industrial | | | |
| S.No | Date of Sampling | AQI | Remarks | S.No | Date of Sampling | AQI | Remarks | S.No | Date of Sampling | AQI | Remarks |
| 1 | 04.06.18 | 33 | Good | 1 | 04.06.18 | 93 | Satisfactory | 1 | 01.06.18 | 74 | Satisfactory |
| 2 | 06.06.18 | 47 | Good | 2 | 07.06.18 | 30 | Good | 2 | 05.06.18 | 80 | Satisfactory |
| 3 | 11.06.18 | 61 | Satisfactory | 3 | 11.06.18 | 39 | Good | 3 | 08.06.18 | 41 | Good |
| 4 | 13.06.18 | 79 | Satisfactory | 4 | 14.06.18 | 71 | Satisfactory | 4 | 12.06.18 | 42 | Good |
| 5 | 18.06.18 | 33 | Good | 5 | 18.06.18 | 63 | Satisfactory | 5 | 15.02.18 | 52 | Satisfactory |
| 6 | 20.06.18 | 35 | Good | 6 | 21.06.18 | 51 | Satisfactory | 6 | 19.06.18 | 68 | Satisfactory |
| 7 | 25.06.18 | 35 | Good | 7 | 23.06.18 | 53 | Satisfactory | 7 | 22.06.18 | 69 | Satisfactory |
| 8 | 27.06.18 | 41 | Good | 8 | 25.06.18 | 37 | Good | 8 | 26.06.18 | 83 | Satisfactory |
| 9 | 29.06.18 | 38 | Good | 9 | 28.06.18 | 66 | Satisfactory | 9 | 29.06.18 | 66 | Satisfactory |

| Air Quality Index, Salem, July 2018 | | | | Air Quality Index, Mettur, July 2018 | | | | | | | |
|-------------------------------------|------------------|-----|--------------|--------------------------------------|------------------|-----|--------------|------------------|------------------|-----|--------------|
| Sowdeswari College Building - 309 | | | | Raman Nagar - 762 | | | | Sidco - 763 | | | |
| Type: Mixed | | | | Type: Residential | | | | Type: Industrial | | | |
| S.No | Date of Sampling | AQI | Remarks | S.No | Date of Sampling | AQI | Remarks | S.No | Date of Sampling | AQI | Remarks |
| 1 | 02.07.18 | 39 | Good | 1 | 02.07.18 | 31 | Good | 1 | 03.07.18 | 87 | Satisfactory |
| 2 | 04.07.18 | 45 | Good | 2 | 05.07.18 | 51 | Satisfactory | 2 | 06.07.18 | 67 | Satisfactory |
| 3 | 09.07.18 | 69 | Satisfactory | 3 | 09.07.18 | 33 | Good | 3 | 10.07.18 | 40 | Good |
| 4 | 11.07.18 | 45 | Good | 4 | 12.07.18 | 27 | Good | 4 | 13.07.18 | 41 | Good |
| 5 | 16.07.18 | 34 | Good | 5 | 16.07.18 | 32 | Good | 5 | 17.07.18 | 48 | Good |
| 6 | 18.07.18 | 32 | Good | 6 | 19.07.18 | 39 | Good | 6 | 20.07.18 | 66 | Satisfactory |
| 7 | 23.07.18 | 31 | Good | 7 | 23.07.18 | 33 | Good | 7 | 24.07.18 | 45 | Good |
| 8 | 25.07.18 | 31 | Good | 8 | 26.07.18 | 26 | Good | 8 | 27.06.18 | 46 | Good |
| 9 | 31.07.18 | 41 | Good | 9 | 30.07.18 | 27 | Good | 9 | 31.07.18 | 56 | Satisfactory |

| Air Quality Index, Salem, August 2018 | | | | Air Quality Index, Mettur, August 2018 | | | | | | | |
|--|-------------------------|------------|----------------|---|-------------------------|------------|----------------|-------------------------|-------------------------|------------|----------------|
| Sowdeswari College Building - 309 | | | | Raman Nagar - 762 | | | | Sidco - 763 | | | |
| Type: Mixed | | | | Type: Residential | | | | Type: Industrial | | | |
| S.No | Date of Sampling | AQI | Remarks | S.No | Date of Sampling | AQI | Remarks | S.No | Date of Sampling | AQI | Remarks |
| 1 | 02.08.18 | 35 | Good | 1 | 02.08.18 | 31 | Good | 1 | 04.08.18 | 31 | Good |
| 2 | 06.08.18 | 57 | Satisfactory | 2 | 06.08.18 | 29 | Good | 2 | 07.08.18 | 30 | Good |
| 3 | 10.08.18 | 29 | Good | 3 | 09.08.18 | 32 | Good | 3 | 10.08.18 | 53 | Satisfactory |
| 4 | 13.08.18 | 37 | Good | 4 | 13.08.18 | 24 | Good | 4 | 14.08.18 | 35 | Good |
| 5 | 16.08.18 | 30 | Good | 5 | 16.08.18 | 33 | Good | 5 | 21.08.18 | 64 | Satisfactory |
| 6 | 20.08.18 | 37 | Good | 6 | 18.08.18 | 22 | Good | 6 | 23.08.18 | 47 | Good |
| 7 | 23.08.18 | 35 | Good | 7 | 20.08.18 | 28 | Good | 7 | 25.08.18 | 29 | Good |
| 8 | 25.08.18 | 45 | Good | 8 | 24.08.18 | 32 | Good | 8 | 28.08.18 | 67 | Satisfactory |
| 9 | 27.08.18 | 44 | Good | 9 | 27.08.18 | 44 | Good | 9 | 31.08.18 | 82 | Satisfactory |
| 10 | 29.08.18 | 37 | Good | 10 | 30.08.18 | 42 | Good | | | | |

| Air Quality Index, Salem, September 2018 | | | | Air Quality Index, Mettur, September 2018 | | | | | | | |
|---|-----------------------------|------------|----------------|--|-----------------------------|------------|----------------|-------------------------|-----------------------------|------------|----------------|
| Sowdeswari College Building - 309 | | | | Raman Nagar - 762 | | | | Sidco - 763 | | | |
| Type: Mixed | | | | Type: Residential | | | | Type: Industrial | | | |
| S.No | Date of Sampling | AQI | Remarks | S.No | Date of Sampling | AQI | Remarks | S.No | Date of Sampling | AQI | Remarks |
| 1 | 04.09.18 | 52 | Satisfactory | 1 | 03.09.18 | 45 | Good | 1 | 04.09.18 | 82 | Satisfactory |
| 2 | 06.09.18 | 46 | Good | 2 | 06.09.18 | 25 | Good | 2 | 07.09.18 | 67 | Satisfactory |
| 3 | 10.09.18 | 47 | Good | 3 | 08.09.18 | 26 | Good | 3 | 11.09.18 | 56 | Satisfactory |
| 4 | 12.09.18 | 52 | Satisfactory | 4 | 10.09.18 | 32 | Good | 4 | 14.09.18 | 61 | Satisfactory |
| 5 | 17.09.18 | 45 | Good | 5 | 15.09.18 | 25 | Good | 5 | 18.09.18 | 56 | Satisfactory |
| 6 | 19.09.18 | 45 | Good | 6 | 17.09.18 | 44 | Good | 6 | 22.09.18 | 30 | Good |
| 7 | 24.09.18 | 38 | Good | 7 | 20.09.18 | 31 | Good | 7 | 25.09.18 | 49 | Good |
| 8 | 26.09.18 | 46 | Good | 8 | 24.09.18 | 31 | Good | 8 | 27.09.18 | 39 | Good |
| 9 | 29.09.18 | 54 | Satisfactory | 9 | 28.09.18 | 36 | Good | 9 | 29.09.18 | 31 | Good |

| Air Quality Index, Salem, December 2018 | | | | Air Quality Index, Metturr, Decemberr - 2018 | | | | | | | |
|--|-------------------------|------------|----------------|---|-------------------------|------------|----------------|-------------------------|-------------------------|------------|----------------|
| Sowdeswari College Building - 309 | | | | Raman Nagar - 762 | | | | Sidco - 763 | | | |
| Type: Mixed | | | | Type: Residential | | | | Type: Industrial | | | |
| S.No | Date of Sampling | AQI | Remarks | S.No | Date of Sampling | AQI | Remarks | S.No | Date of Sampling | AQI | Remarks |
| 1 | 03.12.18 | 51 | Satisfactory | 1 | 03.12.18 | 62 | Satisfactory | 1 | 04.12.18 | 63 | Satisfactory |
| 2 | 05.12.18 | 50 | Good | 2 | 07.12.18 | 33 | Good | 2 | 06.12.18 | 48 | Good |
| 3 | 07.12.18 | 57 | Satisfactory | 3 | 10.12.18 | 97 | Satisfactory | 3 | 08.12.18 | 57 | Satisfactory |
| 4 | 10.12.18 | 97 | Satisfactory | 4 | 14.12.18 | 81 | Satisfactory | 4 | 11.12.18 | 70 | Satisfactory |
| 5 | 12.12.18 | 97 | Satisfactory | 5 | 17.12.18 | 80 | Satisfactory | 5 | 13.12.18 | 46 | Good |
| 6 | 14.12.18 | 82 | Satisfactory | 6 | 20.12.18 | 40 | Good | 6 | 15.12.18 | 40 | Good |
| 7 | 17.12.18 | 109 | Moderate | 7 | 24.12.18 | 48 | Good | 7 | 18.12.18 | 84 | Satisfactory |
| 8 | 19.12.18 | 85 | Satisfactory | 8 | 27.12.18 | 67 | Satisfactory | 8 | 21.12.18 | 66 | Satisfactory |
| 9 | 21.12.18 | 60 | Satisfactory | 9 | 31.12.18 | 52 | Satisfactory | 9 | 28.12.18 | 64 | Satisfactory |